

# Technology Lock-In and Costs of Delayed Climate Policy\*

Jonathan T. Hawkins-Pierot  
Consumer Financial Protection Bureau  
[jonathan.hawkins@cfpb.gov](mailto:jonathan.hawkins@cfpb.gov)

Katherine R. H. Wagner  
University of British Columbia  
[katherine.wagner@ubc.ca](mailto:katherine.wagner@ubc.ca)

September 3, 2024  
[Click here for latest draft](#)

## Abstract

This paper studies the implications of current energy prices for future energy efficiency and climate policy. Using U.S. Census microdata and quasi-experimental variation in energy prices, we first show that manufacturing plants that open when electricity prices are low consume more energy throughout their lifetime, regardless of current electricity prices. We then estimate that a persistent bias of technological change toward energy can explain the long-term effects of entry-year electricity prices on energy intensity. Overall, this “technology lock-in” implies that increasing entry-year electricity prices by 10% would decrease a plant’s energy intensity of production by 3% throughout its lifetime.

---

\*We thank Jason Abaluck, Joe Altonji, Steve Berry, Brian Copeland, Claudio Ferraz, Matt Kotchen, Arik Levinson, Rohini Pande, Jacquelyn Pless, Nick Ryan, Joe Shapiro, Stephanie Weber, and seminar participants at Arizona State University, Bank of England, CESifo Area Conference on Energy and Climate Economics, Coase Project Conference, Columbia/Cornell/MIT, Federal Reserve Bank of San Francisco, Georgia State University, Harvard University, Monash University, London School of Economics, Paris School of Economics, Santa Clara University, the Stanford Institute for Economic Policy Research (SIEPR), University of Calgary, University of Chicago, University of Toronto, University of British Columbia, University of Oslo, and the UC Berkeley Energy Camp for helpful discussions, Kendra, Marcoux, Andrew Tang, and Benji Reade Malagueno for excellent research assistance, and the Cowles Foundation, the Yale Economic Growth Center, and SIEPR for funding. Any views expressed are those of the authors and not those of the Consumer Financial Protection Bureau, the U.S. Census Bureau, or the United States. The Census Bureau’s Disclosure Review Board and Disclosure Avoidance Officers have reviewed this information product for unauthorized disclosure of confidential information and have approved the disclosure avoidance practices applied to this release. This research was performed at a Federal Statistical Research Data Center under FSRDC Project Number 2309. (Release numbers CBDRB-FY21-P2309-R8908, CBDRB-FY21-P2309-R9137, and CBDRB-FY22-P2309-R9520) This paper previously circulated under the title “Technology Lock-In and Optimal Carbon Pricing”. Contact: Hawkins-Pierot: Consumer Financial Protection Bureau, 1700 G St. NW, Washington, DC 20552; Wagner: University of British Columbia, Vancouver School of Economics, 211-6000 Iona Dr, Vancouver, BC V6T 1L4.

# 1 Introduction

Do inefficiently low energy prices today reduce the effectiveness of carbon pricing in the future? Abundant fossil fuel resources priced below their social cost have set industrial economies on a path of energy-inefficient development and rising anthropogenic carbon emissions. Current global energy infrastructure comprises tens of trillions of dollars of assets and reflects two centuries of technological innovation—and approximately 80% of energy produced comes from burning fossil fuels that contribute to climate change (Seto et al., 2016). Climate change impacts such as extreme temperatures, hurricanes, and wildfires are now causing billions of dollars of economic damage annually, but carbon pricing policies intended to curb greenhouse gas emissions continue to face global opposition. In the United States, over fifty carbon pricing bills have been introduced by Congress in the last three decades; none has passed. Jurisdictions that have successfully implemented carbon pricing schemes, such as the European Union and Canada, struggle to set prices that fully internalize the social costs of energy consumption. Some policymakers have despaired at the political feasibility of such reforms, instead proposing alternative policies such as clean energy subsidies and technology standards (Shearer and Nace, 2010). Current U.S. government proposals, for example, earmark over \$400 billion for subsidizing industrial energy efficiency improvements (DNC, 2021).

In the absence of such policies, global energy usage is projected to increase by more than 50% by mid-century. The increasing trend in energy usage is even steeper in developing countries such as India and China, which are opening the equivalent of one new coal power plant every week (Myllyvirta and Shearer, 2021). The largest consumer of this energy is the industrial sector, and the durable nature of capital means that many energy-inefficient manufacturing plants that open when energy is dirty and cheap will contribute to global emissions for many years (EIA, 2019). The effects of inefficiently low energy prices on future industrial energy efficiency, which we refer to as “technology lock-in”, are relevant for currently proposed policies. Quantifying the magnitude and duration of lock-in and understanding its causes are necessary to predict industrial responses to climate policies and to efficiently design them to counteract lock-in.

This paper estimates the extent to which the energy prices that manufacturing plants pay in their first year of operations determine their lifetime energy usage and studies the causes and

consequences of this technology lock-in. When a plant enters the market, it chooses a combination of factor inputs to use in production based on entry-year prices and beliefs about future prices. We quantify the magnitude and persistence of the effects initial energy prices have on manufacturing energy usage, and mechanisms for these effects. From a policy perspective, ignoring the dynamic effect of current energy prices on future energy use understates the benefits of pricing carbon today. If new plants choose different underlying production technologies based on initial prices, then incentivizing the initial adoption of energy-efficient technologies may play an important role in reducing energy usage. If incumbent plants can't reoptimize their energy usage largely due to capital adjustment costs, then targeted technology subsidies may be a priority to encourage the turnover of energy-inefficient capital.

The first part of this paper provides empirical evidence on the existence and duration of technology lock-in. To do so, we assess how initial electricity prices affect manufacturing plants' long-run energy intensity, conditional on current prices. We measure plants' energy intensities (i.e., energy use per dollar revenue) and input prices using restricted-access microdata from the U.S. Census of Manufactures (CMF) and the Annual Survey of Manufacturing (ASM) for the years 1976 to 2011. Since electricity prices may be correlated with other shocks to manufacturing plants' input demands, we use shift-share instruments to isolate plausibly exogenous price variation ([Bartik, 1991](#); [Goldsmith-Pinkham et al., 2020](#)). The instruments exploit national changes in coal, natural gas, and petroleum prices, weighted by each state's use of these fuels to generate electricity in a base year ([Ganapati et al., 2020](#)). As an alternative measure of lock-in, we also directly examine how the prevailing prices of these fuels in plants' entry year affect subsequent energy intensity. Many industrial climate targets are set in energy intensity terms, rather than energy use or emissions, to balance emissions reductions with economic growth ([Stern and Jotzo, 2010](#)), but we show that the results are robust to estimation using alternative energy use definitions, different data subsamples, and different energy data sources.

Motivated by this empirical evidence, the second part of the paper studies the causes of this technology lock-in. We separately quantify the extent to which lock-in arises because plants that enter at different energy prices use different production technologies and because capital adjustment costs constrain their subsequent input choices. To do so, we estimate the parameters of plants'

production technologies and the relative productivities of different manufacturing inputs at entry and in subsequent years. We obtain our productivity estimates by applying models of production functions with input-specific productivities that have been used to estimate labor productivity to energy instead (Demirer, 2020; Doraszelski and Jaumandreu, 2018). The model allows us to quantify the efficiency of plants’ energy inputs in each year of operations. Using these estimates, we assess whether entry-year electricity prices lead to different productivity biases toward specific inputs and whether any differences persist over time.

These analyses yield two primary results. First, technology lock-in is important in manufacturing production and remains important throughout the lifetime of manufacturing plants. We show that plants’ entry-year electricity prices are significant determinants of current energy intensity, even conditional on current prices. While energy intensity declines when contemporaneous electricity prices increase, we estimate an initial electricity price elasticity of approximately -0.25—about one-third of the elasticity with respect to current electricity prices. The estimates are similar in sign, magnitude, and precision when estimated using electricity intensity only or using estimates that allow for substitution between fuels. In addition, we show that the entry-year prices of fuel inputs into electricity generation themselves have persistent effects on manufacturing energy intensity. Separate analysis of the contributions of the prices of different raw fuels reveals that entry-year coal and petroleum prices continue to be important determinants of energy use. Specifically, manufacturing plants established when coal and petroleum were cheap are still consistently more energy-intensive. The persistent effect of these fuel prices on manufacturing energy intensity is surprising because electricity generation in the U.S. is much less reliant on these fuels today. These findings underscore the long-run effects of development based on cheap fossil fuel energy and the emissions implications of expansion of fossil fuel power plants: dirty capital investments undertaken in response to current cheap coal prices around the world seem likely to lock in higher emissions levels in the future as long as electricity generation continues to rely on fossil fuels.

We find limited heterogeneous effects of initial electricity prices by plant age, which suggests that these entry-year prices remain important throughout a plant’s lifetime. The magnitude of our entry-year price elasticity suggests that a carbon price corresponding to a 10% increase in a plant’s entry-year electricity price would decrease its lifetime energy use by approximately 3%. These

additional costs of delayed action on carbon pricing arise because entrants who choose production technologies based on current prices choose dirtier technologies than they otherwise would, and cannot subsequently fully adjust them. Of course, energy-inefficient plants may close if prices increase substantially, which motivates using our estimates of plants’ production functions to directly assess the extent to which plants can adjust their production processes over time.

The second main results show that persistent differences in the relative productivity of energy inputs are able to explain much of the effect of initial electricity prices on subsequent manufacturing energy use. We estimate that a 10% increase in entry-year electricity prices increases relative energy productivity by approximately 3% in subsequent years. Conversely, we find no evidence that entry-year electricity prices have long-term effects on total factor productivity. These results suggest that when electricity prices are low, new manufacturing plants chose production technologies that use energy inputs relatively less efficiently compared with their labor inputs, and this productivity bias persists even if electricity prices change in the future. This evidence on the causes of lock-in suggests that incentivizing the initial adoption of energy-efficient technologies may be at least as important as subsidies to reduce capital adjustment costs later on.

This paper makes three primary contributions to existing literature. First, we provide the first estimate of the importance of entry-year energy prices for industrial energy use in subsequent years. In addition to quantifying this technology lock-in and showing how persistent it is, we explain how it arises. Previous “efforts to characterize the types and causes of carbon lock-in, or to quantitatively assess and evaluate its policy implications, have been limited and scattered across a number of different disciplines” (Seto et al. (2016), p. 425).<sup>1</sup> Our findings contribute to a growing literature on how different initial conditions mediate transitions from dirty to clean energy (i.e., path dependence). Several papers in this literature use macroeconomic dynamic models and more aggregate data to study incentives to develop clean energy technologies, typically simulating how changes in energy prices affect carbon emissions through innovation (Acemoglu et al., 2012; Acemoglu et al., 2019; Atkeson and Kehoe, 1999; Fried, 2018; Hassler et al., 2012). Other work uses microdata, particularly from the electricity sector, to show that initial regulatory structure and fuel

---

<sup>1</sup>In the climate context, the literature refers to technology lock-in as “the inertia of carbon emissions ... associated with the technologies and infrastructure that indirectly or directly emit CO<sub>2</sub>”, which is distinct from carbon lock-in arising from behavioral or institutional constraints more commonly studied by sociologists (Seto et al. (2016), p.427).

mix choices are important determinants of subsequent fuel use (Cullen and Mansur, 2017; Knittel et al., 2015; Meng, 2021) and to compare the energy intensity of new manufacturing plants, in their entry year, to incumbents (Linn, 2008). Relative to this literature, our contribution is to show that the effects of entry-year energy prices persist in years after entry and, indeed, throughout a plant’s lifetime. In addition to estimating this entry-year price elasticity, we depart from these other studies by estimating the contribution of initial productivity differences to creating this lock-in.

Second, this paper contributes to literature that models the responses of industrial energy use and productivity to environmental regulation. Research using microdata to study industrial responses to environmental policy typically analyze the dynamics of one industry (e.g., cement or electricity) over the long-run (Fowlie et al., 2016; Meng, 2021; Ryan, 2012; Clay et al., 2021) or use static models to study different contemporaneous effects across many industries (Calel, 2020; Colmer et al., 2021; Ganapati et al., 2020; Greenstone et al., 2012; Shapiro and Walker, 2018). Our contribution is to bring these two literatures together to provide a new generalizable explanation for why some of the dynamic responses arise. Using our estimates of the relative productivity of energy, we show that a carbon price at entry or in later years reduces energy use by inducing improvements in the productivity of energy inputs, consistent with directed technical change. Classic models of capital investment emphasize that capital adjustment frictions may constrain changes in input mix, but we identify that persistent productivity differences appear to be at least as important as this more common explanation for lock-in (Atkeson and Kehoe, 1999; Pindyck and Rotemberg, 1983).

Finally, we provide a new microfoundation for the abatement cost function frequently used in standard models of climate-economy interactions. These Integrated Assessment Models (IAMs) are the basis for calculating the full social cost of carbon emissions and for evaluating national and international climate policy recommendations. Despite their widespread use in regulatory analyses, economists have criticized these models for allowing “a great deal of freedom in choosing functional forms, parameter values, and other inputs” and for “lacking transparency in key underlying assumptions, such as energy resource costs, constraints on technology take-up, and demand responses to carbon pricing” (Pindyck, 2020, p.863; Gambhir et al., 2019, p.5). Standard models extrapolate future rates of decarbonization based on past decarbonization trends, which may inaccurately represent attainable emissions reductions resulting from a new carbon price if lock-in is important.

We provide a novel estimate of the response of industrial carbon emissions to emissions constraints assumed in climate-economy models, which is “the most important calibration for policy purposes” (Nordhaus and Boyer, 2000, p.44).

The rest of this paper proceeds as follows. Section 2 provides background on energy use in U.S. manufacturing to contextualize the analysis. Section 3 presents a conceptual framework outlining how technology lock-in might arise. Section 4 describes the data. Section 5 discusses our econometric model for identifying technology lock-in and Section 6 presents our empirical evidence of it. Section 7 discusses the implications for climate change policy. Section 8 concludes.

## 2 Institutional Background

Manufacturing accounts for about one-quarter of total U.S. energy consumption and one-quarter of total U.S. greenhouse gas emissions. Energy consumption in the industrial sector, which comprises manufacturing, mining, construction, and agriculture, is increasing both in absolute terms and as a share of total consumption, and this sector accounts for almost all of the predicted increase in U.S. energy use in the next decade (EIA, 2015; EPA, 2021). Electricity comprises the majority of manufacturing energy inputs; a subset of manufacturing plants use other sources of energy, such as diesel fuel, as direct inputs. On average during this study’s time period, electricity expenditures account for approximately 75% of total expenditures on energy inputs and 95% of quantity of thermal energy consumed (measured in British thermal units, or BTUs).<sup>2</sup> Self-generation of electricity on-site only accounts for 0.1% of electricity consumption. By contrast, manufacturing plants in developing countries such as India are typically more reliant on raw fuel inputs and on-site generation of electricity (Allcott et al., 2016).

The amount and type of energy used depend on plants’ production processes. Primary uses include powering production machinery and fueling boilers, while secondary uses include heating and cooling, lighting, on-site transportation, and direct inputs into the finished product (Ganapati et al., 2020). Improving the energy efficiency of many of these manufacturing processes requires replacing equipment or machinery. For example, upgrading an energy-inefficient turbine involves

---

<sup>2</sup>These estimates, and our analysis, exclude feedstock materials, such as petroleum inputs into oil refining. Natural gas is the most important energy input among these feedstock fuels.

pausing or re-arranging operations to install an expensive replacement, and such capital adjustment costs create the possibility for technology lock-in. If energy-inefficient machinery is installed when energy prices are low, incurring these adjustment costs to replace it may only be worthwhile if energy prices increase substantially. Other changes in plants' energy use may occur independently of capital adjustment, including changes in facility operations, such as heating and cooling, scheduled downtime, and improvements in the application of thermal resources (e.g., temperature and duration) resulting from energy efficiency audits.<sup>3</sup> Manufacturing energy policy typically does not differentially regulate plants based on their entry date and is administered by a mix of federal, state, and local governments that usually target specific industries or technologies. Landmark federal industrial environmental regulations, such as the Clean Air Act, more commonly target pollution that is the by-product of energy use rather than targeting energy efficiency directly ([NREL, 2009](#)).

Though non-electricity energy sources account for a small portion of direct energy inputs, the production of the electricity consumed by manufacturing involves important indirect use of raw fuels.<sup>4</sup> At the start of our sample in 1976, electric utilities in the U.S. generate electricity using coal (40%), natural gas (12%), petroleum oil (21%), hydro (15%), and other renewable sources. Appendix Figure [A.4](#) shows that the contribution of different fossil fuel sources to electricity generation varies widely across U.S. states in 1976, while Appendix Figure [A.2](#) shows that the contribution of these different fuels has changed substantially at the state-level since then. The use of petroleum in electricity generation has declined almost everywhere and it is barely used today. Coal use has also declined, though less steeply than oil. Natural gas generation, by contrast, has increased substantially since the fracking boom in the 2000s.

Local electricity rates depend on the national prices for prevailing fuel inputs, as well as distances to procurement sources. Electric utilities have distinct regional markets that typically comprise a few states and include inter-state trade, and in 2011 industrial users paid between 0.04 and 0.28 dollars

---

<sup>3</sup>The National Association of Manufacturers (NAM) specifies that 30% of energy cost savings in manufacturing can be achieved without capital investment, with larger savings possible if capital investment occurs ([NAM, 2014](#)).

<sup>4</sup>We note that our analysis focuses on technology lock-in downstream in the manufacturing sector, rather than upstream in the electricity sector, which is excluded from the Census manufacturing surveys. The electricity sector may be subject to lock in as well due to the similar durable nature of capital investment in those plants, though we anticipate that the production functions of electric utilities may look substantially different due to the larger role that fuel switching plays for electric utilities ([Meng, 2021](#)).

per kWh for electricity on average (EIA, 2020).<sup>5</sup> Policy discussions emphasize raising industrial energy prices to meet emissions targets, while the discourse surrounding residential electricity prices is more mixed due to the presence of already high fixed charges that are largely absent in industry (Borenstein and Bushnell, 2022; Hawkins-Pierot and Wagner, 2024). Figure 2 shows that the average electricity price paid by the industrial sector varies widely over our sample time period, generally trending downward until the late 1990s before increasing back to its 1976 level. These changes in electricity prices track the trends in the prices of raw fuels used to generate electricity, shown in Appendix Figure A.3. Since 1976, petroleum prices have tripled, while coal and natural gas prices have risen less steeply over this same time period. In what follows, we exploit variation in the national prices of these raw fuels to construct instruments for electricity prices.

### 3 Conceptual Framework

The goal of this section is to illustrate how technology lock-in might arise in the manufacturing sector. We use a stylized model of plant entry, exit, and capital investment (Atkeson and Kehoe, 1999; Pindyck and Rotemberg, 1983), to which we introduce the importance of entry-year input productivities for energy use. If technology lock-in is important, then plants that enter at lower energy prices will be persistently more energy-intensive today. In this section, we use a simple two-period model of myopic manufacturing plants to show how lock-in can arise through two channels: selection on productivity and capital adjustment costs. Appendix A shows that the same intuitions carry over to a richer multi-period model under a range of assumptions about plant expectations of future energy prices. Appendix A also derives the comparative statics predictions that underlie the simulation results that we discuss here.

---

<sup>5</sup>Appendix Figure A.4 and Appendix Figure A.2 include differences in generation sources from any trade across network exchanges.

### 3.1 A Model of Lock-In

For illustration, consider a model where a plant has a constant elasticity of substitution (CES) production technology:

$$Y(K, L, E; \omega^H, \omega^E) = \omega^H (K^\rho + L^\rho + (\omega^E E)^\rho)^{\frac{\nu}{\rho}} \quad (1)$$

where  $K$ ,  $L$ , and  $E$  are the quantities of capital, labor and energy inputs, respectively,  $\sigma = \frac{1}{1-\rho}$  is the elasticity of substitution between energy and capital,  $\nu \in (0, 1]$  is a returns to scale parameter,  $\omega^H$  is Hicks-neutral total factor productivity, and  $\omega^E$  captures the productivity of energy relative to labor.<sup>6</sup> Modelling  $\omega^E$  will allow us to capture differences in initial design choices and improvements to the productivity of energy inputs from energy audits or maintenance, for example (Ryan, 2018). Labor and energy are assumed to be fully flexible static inputs, chosen optimally in each period. As detailed below, an incumbent plant's level of capital is only partially flexible due to non-linear adjustment costs. Here, the relative productivity of energy,  $\omega^E$ , is fixed at entry and is fully locked in.<sup>7</sup>

A potential entrant  $i$  draws productivity levels  $\omega_i^H$  and  $\omega_i^E$  and chooses capital, labor, and energy inputs to maximize profits:

$$\max_{K, L, E} \pi(K, L, E; \omega_i^H, \omega_i^E) = pY(K, L, E; \omega_i^H, \omega_i^E) - rK - wL - p^E E$$

The potential entrant chooses to enter if profits exceed the fixed costs of entry, that is if:

$$\pi^*(p, w, r, p_E; \omega_i^H, \omega_i^E) = pY(K^*, L^*, E^*) - wL^* - rK^* - p^E E^* \geq F$$

In this equation,  $L^*$  and  $E^*$  solve the static profit maximization problem and  $F$  is the fixed entry

---

<sup>6</sup>We estimate a CES production technology rather than the more common Cobb-Douglas or translog functions to allow complementarity between inputs and factor-specific productivities. Neither Cobb-Douglas or translog functional forms admit both of these characteristics, which are both needed to capture the two lock-in channels that we discuss. If  $\rho = 0$ , CES is equivalent to the Cobb-Douglas specification. In this case, input expenditure shares are fixed and capital stocks do not affect the optimal energy input.

<sup>7</sup>In the empirical specification, we estimate a richer model where we allow total factor and energy-specific productivities to evolve over time following AR(1) processes and prices to be fully flexible. We discuss estimation details in Section 5.2.

cost. We assume that the capital stock  $K^*$  is fully flexible on entry, subject to a linear capital rental rate  $r$ . To simplify notation and isolate the role of changes in the relative price of energy  $p^E$  in this example, we set the price of output  $p$ , the wage  $w$ , and the rental rate of capital  $r$  to be equal to one.<sup>8</sup>

The first channel through which lock-in arises is the selection effect on the productivity of plants that choose to enter in the first period. All else equal, higher energy productivity increases plants' profitability and, by extension, the likelihood that a plant chooses to enter. This induces selection: if energy is cheap, it is profitable for plants with low energy productivity to enter. As we show in Appendix A, when complementarity between inputs is sufficiently strong, plants with lower energy productivity will use more energy per unit of output. The cutoff energy productivity level determines the distribution of energy productivity  $\omega_i^E$  for plants that entered in a period with energy price  $p^E$ . The cohort-average energy productivity is increasing in the initial energy price  $p^E$  because the cutoff is increasing in  $p^E$ . If plants' energy productivity is persistent, entry-year energy prices will be important determinants of their energy intensity in the future.

Capital adjustment costs provide the second channel through which lock-in arises. Plants that enter earn their first period profits and continue to the second stage with their current capital stock,  $K$ . At the end of period one, plants observe prices in the next period and choose their capital in the next period,  $K'$ , to solve:

$$\max_{K'} \begin{cases} \pi^*(K'; p^{E'}, \omega_i^E) - \gamma_0 - r(K' - K) - \gamma_1(K' - K)^2 & \text{if } K' \neq K \\ \pi^*(K; p^{E'}, \omega_i^E) & \text{otherwise} \end{cases}$$

Here,  $\pi^*(K; p^E, \omega^E)$  is the maximum profit if capital is fixed at  $K$ , given prices and productivity. In addition to the cost of capital  $r$ ,  $\gamma_0$  and  $\gamma_1$  are fixed and convex adjustment costs, respectively. The fixed cost of capital adjustment,  $\gamma_0$ , implies that it may not be profitable for plants to re-optimize their capital in response to small energy price changes. The convex adjustment cost,  $\gamma_1$ , implies that while plants may invest in response to larger prices changes, they will only partially close the gap relative to frictionless entrants because large capital investments are increasingly more costly than

---

<sup>8</sup>Appendix A.2 discusses the model calibration in greater detail.

small ones. If capital and energy are complementary in the plant's production function, incomplete adjustment of capital stocks due to these additional costs attenuates the response of energy intensity to changes in energy prices, leading to lock-in.

Incumbent plants will shut down if their scrap value exceeds their profit:  $\pi^* < S$ . As with entry, there is a cutoff value such that, for a given energy price  $p^E$ , plants with energy productivity below this value will exit. As the least efficient plants exit, cohort-average energy productivity will rise. However, if scrap values are lower than entry costs, then the exit cutoff energy productivity will be below the entry cutoff and incumbents will, on average, have higher energy intensity than new entrants.

Figure 1 plots simulated current energy intensity as a function of energy prices at entry in this model. The three downward-sloping lines measure the energy intensity of incumbent plants relative to the energy intensity of entrants under different assumptions about the structure of capital adjustment costs. The x-axis plots the price of energy in the first period when incumbents entered, relative to today's price. Conditional on current energy prices, entrants today don't take into account energy prices in the past, and so energy intensity of new entrants is flat and we normalize it to be one. The downward slope of the energy intensity of incumbents indicates lock-in: plants that opened when energy was cheap are persistently more energy-intensive today.

This lock-in arises under all three capital adjustment cost scenarios. First, the blue, long-dashed line plots the magnitude of lock-in for plants that cannot adjust their capital stock. The only margins of adjustments are changing energy and labor inputs or exiting. This represents an extreme case of lock-in. Second, the orange, short-dashed line plots lock-in for plants that can partially adjust capital, subject to both fixed and convex capital adjustment costs. Third, the green, solid line isolates the energy productivity effect by setting  $\gamma_0 = \gamma_1 = 0$ , shutting down capital adjustment frictions. Even without fixed or convex capital adjustment costs in this third scenario, the average plant from a low energy price vintage will be more energy-intensive than the average entrant because lower productivity plants enter at lower prices. At higher energy prices, it is no longer profitable to open a new energy-intensive plant, but existing plants may continue to operate. In this case, even with costless adjustment of capital, plants are still locked in to their productivity, which is dependent on entry-year energy prices due to the fixed entry costs that induce selection.

Appendix Figure A.1 shows that the same insights regarding the possibility of lock-in and its causes carry over to a multi-period framework and under alternative assumptions about plants' beliefs about future energy prices. In particular, we show that lock-in arises even if entrants know energy prices will increase in the future. Panel A shows energy intensity of incumbents relative to entrants assuming that all future energy price changes are known at entry. When plants perfectly foresee future prices, the magnitude of lock-in depends on the discount rate. Entrants with a higher discount rate  $\beta$  will anticipate capital adjustment frictions and choose their initial input mix to better match future prices. However, discounting of future profits means that incumbents who entered at low energy prices are still more energy-intensive today than current entrants. This pattern is even more pronounced if we assume all energy price changes are unanticipated (Panel B). In this opposite extreme scenario, there is a larger difference between the energy intensity of incumbents who entered at high and low energy prices (i.e., a steeper slope of energy intensity), for moderate price changes. While Appendix Tables A.10 and A.11 suggest that plants' beliefs about future energy prices are largely based on energy prices today, under both sets of assumptions, large price changes drive the least productive plants from the market, reducing average energy intensity of surviving plants. We discuss the simulation of this dynamic multi-period model in greater detail in Appendix A.2. Appendix A.2 also discusses in greater detail the general conditions under which lock-in of a plant's production function arises.

### 3.2 From Theory to Data

In the remainder of the paper, we exploit exogenous variation in initial and current electricity prices to measure the persistent effect of electricity prices at entry on energy intensity and productivity throughout the lifetime of manufacturing plants. Technology lock-in is important if plants facing the same current electricity prices have systematically higher energy intensity if they entered when electricity was less expensive. This overall estimate of lock-in is analogous to the orange, short-dashed line in Figure 1, which captures lock-in due to both capital adjustment frictions and persistent energy-specific productivity.

The regressions of energy intensity on electricity prices cannot, by themselves, distinguish be-

tween these two sources of lock-in. To do so, we estimate a structural production function for each industry. This analysis allows us, first, to establish that capital adjustment costs could contribute to lock-in by estimating the substitution parameter between energy and capital: complementarity in production between capital and energy is a necessary condition for capital adjustment costs to create lock-in.<sup>9</sup> Second, it allows us to recover annual energy-specific productivity for each plant to distinguish between the two competing explanations for lock-in. The productivity estimates allow us to assess the contribution of energy productivity differences to creating lock-in, which is captured by the green, solid line in Figure 1 that shuts off capital adjustment costs. The contribution of capital adjustment costs is the residual distance between the total lock-in effect and the productivity effect (i.e., the distance between the orange, short-dashed line and the green, solid line in Figure 1). By comparing the total lock-in effect to lock-in arising with selection on productivity but without capital adjustment costs, we quantify the relative importance of the two lock-in mechanisms.

## 4 Data

We draw on restricted microdata from the U.S. Census Bureau on manufacturing inputs and outputs and on energy data from publicly available government sources. Additional data details are in Appendix B.

### 4.1 Manufacturing Inputs and Outputs

Our primary data sources are administrative records on annual plant-level inputs and outputs from the Annual Survey of Manufacturing (ASM) and the Census of Manufactures (CMF) from the U.S. Census Bureau for the years 1976 to 2011. The CMF is conducted in years ending with 2 or 7 and surveys all manufacturing plants in the United States. The ASM annually surveys plants in the years between censuses and comprises a nationally representative sample of approximately 50,000 plants per year. We calculate plant-level annual average electricity price as reported total

---

<sup>9</sup>Stylized facts in the literature suggest that both fixed and convex capital adjustment costs are important (Khan and Thomas, 2008). Specifically, capital investment is characterized by infrequent spikes interspersed with periods of no or minimal investment. Investment is also slow to respond to large changes in economic fundamentals.

electricity expenditure divided by electricity purchased as reported in the surveys.<sup>10</sup> We measure plants’ annual capital investment using total capital outlays, materials, electricity, and raw fuels inputs using reported expenditures, and labor inputs using worker hours, available in both the ASM and CMF.<sup>11</sup> The CMF also contains information on plants’ capital stocks, measured as reported book values of equipment and machinery.<sup>12</sup>

We supplement these data with the Manufacturing Energy Consumption Survey (MECS) and the ASM Fuel Trailers. The MECS and ASM Fuel Trailers are U.S. Census Bureau surveys that include a probabilistic sample of about 15,000 manufacturing plants, for the years 1976-1981 for the ASM Fuel Trailers and for every three years between 1985 and 1994 and every four years thereafter for the MECS. These more detailed energy surveys provide breakdowns of expenditure on and quantity consumed of raw fuels (e.g., diesel fuel) that are used in smaller amounts and that are therefore not available from the ASM and CMF, which report detailed quantity and expenditure information on electricity but not other energy sources.

These supplementary surveys allow us to calculate three measures of energy intensity of production: electricity consumed per dollar of revenue, carbon dioxide (CO<sub>2</sub>) emissions produced per dollar of revenue, and British thermal units (BTU) of energy consumed per dollar of revenue. CO<sub>2</sub> intensity and BTU intensity incorporate the use of all energy sources in a way that electricity intensity does not, therefore capturing any fuel-switching that might arise due to changes in electricity prices. We calculate plant-level CO<sub>2</sub> emissions and BTU consumption from electricity by multiplying by state-specific conversion factors from the U.S. Energy Information Administration (EIA) and from the Environmental Protection Agency (EPA), which incorporate the carbon intensity of each state’s electricity grid. To obtain CO<sub>2</sub> emissions and BTU consumption from other energy sources, we calculate annual industry-average estimates of CO<sub>2</sub> and BTU per dollar of energy expenditure from the more intermittently available supplemental surveys and multiply by plant-level energy expenditures on other fuels (Lyubich et al., 2018). We calculate the industry-average estimates of

---

<sup>10</sup>We verify the reliability of our calculated average electricity prices by comparing against utilities’ posted industrial rate schedules, available from the OpenEI rate database, and against state-level electricity prices reported by the Energy Information Administration.

<sup>11</sup>We calculate worker hours as plants’ reported production-worker hours times the ratio of total payroll to payroll for production workers (Baily et al., 1992; Ganapati et al., 2020).

<sup>12</sup>Appendix C describes how we calculate annual capital stocks implied by ASM investment and depreciation.

CO<sub>2</sub> and BTU per dollar of energy expenditure by multiplying energy quantities by fuel-specific conversion factors from the EIA and the EPA.

Our final source of manufacturing data is the Longitudinal Business Database (LBD). This census provides information on all plants' entry year, which we link to the other data sets at the plant level. We match plants to their own initial electricity prices if the plant was surveyed in its entry year. If a plant is not observed in its entry year, we impute its initial electricity price using the average of other contemporaneous entrants in its state and industry.<sup>13</sup> A short-coming of the LBD is that any plant that began operations before the start of the survey (i.e., 1975) is recorded as opening in 1975; we therefore restrict the sample to plants that enter after 1975, for which we observe their entry year. Appendix B describes additional restrictions imposed during the cleaning of the data, such as excluding observations with missing or negative input values. The primary analysis sample includes approximately 1,294,000 plant-year observations. Throughout, we deflate all monetary values to 2011 dollars using the input- and industry-specific price indices available from the National Bureau of Economic Research-Census of Economic Studies (NBER-CES) Productivity Database.

Appendix Table A.1 presents summary averages on manufacturing inputs and outputs separately for all industries and excluding industries which use energy sources other than electricity in important ways (i.e., including only industries for which electricity accounts for at least 70% of total energy expenditures). Overall, plants consume approximately 0.2 kWh of electricity, 0.1 kg of CO<sub>2</sub>, and 0.001 million BTU per dollar of revenue, with about 10% higher energy usage in the electricity-intensive subsample. All of these data are at the plant-level, rather than the firm-level, reflecting the fact that operational and investment decisions are made separately for individual establishments.

---

<sup>13</sup>We focus on electricity prices as opposed to composite indices of electricity and any other energy sources used for two reasons. First, plant-level prices of these inputs are available only approximately every four years, for a small subset of our full sample. As a result, we almost never observe entry-year prices for energy sources other than electricity, which requires that a plant is surveyed in the MECS or ASM Fuel Trailers in its entry year. Second, electricity captures most energy used, as discussed above.

## 4.2 State Energy Use and Fuel Prices

The data on state energy input prices and fuel shares in the electricity sector are from the EIA State Energy Data System (SEDS) (EIA, 2020). We use these data to calculate average national prices for coal, natural gas, and petroleum as well as the share of each of these fuels used to generate electricity in each state. We also draw on state-level measures of electricity prices to assess the validity of our calculated, plant-level ones. We deflate prices using the average of the energy deflators from the NBER-CES Database.

## 5 Econometric Model

### 5.1 Instrumental Variables Analysis

To quantify technology lock-in and its causes, we assess whether the electricity prices that manufacturing plants pay in their entry year are important determinants of subsequent energy usage and relative energy productivity. We estimate the following equation:

$$y_{it} = \beta_0 p_{it_0} + \beta_1 p_{it} + \alpha_{js} + \tau_{jtt_0} + \epsilon_{it} \quad (2)$$

In this equation,  $y_{it}$  is an energy outcome for plant  $i$  in year  $t$  (i.e., the log of energy use per dollar of revenue  $\frac{E}{R_{it}}$  or the log of relative energy productivity  $\omega_{it}^E$ ),  $p_{it_0}$  is the log of the average price of electricity in the year  $t_0$  that plant  $i$  enters the market, and  $p_{it}$  is the log of the average price of electricity paid by plant  $i$  in year  $t$ . Industry  $\times$  state fixed effects  $\alpha_{js}$  control for time-invariant characteristics common to six-digit North American Industry Classification System (NAICS) industry  $j$  in a given state  $s$ , such as geography, industry  $\times$  year  $\times$  entry year fixed effects  $\tau_{jtt_0}$  control for time-variant changes that affect all plants in a given industry that entered the market in the same year, such as availability of new technology, and  $\epsilon_{it}$  is the error term. We cluster standard errors at the state-level throughout and we weight regressions using the Census sampling weights to obtain estimates that are representative of the entire market.

The main parameter of interest in equation (2) is  $\beta_0$ , which measures the effect of initial elec-

tricity prices on current energy intensity or current (relative) energy productivity. The second parameter of interest,  $\beta_1$ , measures the effect of contemporaneous electricity prices on these outcomes. If technology lock-in is important, we expect initial electricity prices to affect current energy usage  $\frac{E}{R_{it}}$  even conditional on current electricity prices (i.e.,  $\beta_0 < 0$  in models where energy intensity is the outcome variable). In addition, if lock-in arises through persistent differences in the relative productivity of inputs, then we also expect higher initial electricity prices to lead to higher productivity of current energy inputs relative to labor inputs  $\omega_{it}^E$  (i.e.,  $\beta_0 > 0$  in models where relative energy productivity is the outcome variable).

Even conditional on the fixed effects, it is possible that omitted variables or measurement error could introduce bias into the OLS estimation of the price elasticities  $\beta_0$  and  $\beta_1$ . For example, textbook reverse causality would arise if unobserved shocks to plants' aggregate energy demand (e.g., new demand for certain products) also affect electricity prices, leading to estimates of the price elasticities that are biased upward (i.e., less negative). In addition, plants' entry-year electricity prices are, in some cases, measured with error: if a plant is not surveyed in its entry year, we approximate its initial electricity price using the average of other entrants in the same state, industry, and year. As a result, the effect of entry-year prices may be biased toward zero.

To address these concerns, we construct instrumental variables  $Z_{st}$  to isolate changes in plants' electricity prices that are uncorrelated with other shocks to energy intensity. This Bartik-style shift-share approach instruments downstream electricity prices with changes in the upstream prices of inputs into electricity. More specifically, we isolate exogenous variation in electricity prices using the interaction of historical state electricity generation shares and current national fuel prices ([Ganapati et al., 2020](#)). These instruments are:

$$Z_{st} = [\rho_{-s,f,t} \times \sigma_{s,f,1976}] \quad (3)$$

where  $\sigma_{s,f,1976}$  is the share of total fuel expenditure of each fuel in electricity generation in state  $s$  in 1976, for each fuel  $f \in \{\text{coal, natural gas, petroleum oil}\}$ , and  $\rho_{-s,t,f}$  is the mean of all other states' log fuel price in year  $t$ . The intuition underlying these instruments is that a plant's electricity price will be more strongly affected by changes in national fuel prices if the electricity sector in

its state is more dependent on this fuel source.<sup>14</sup> Our elasticities therefore identify the effects of changes in electricity prices that arise due to changes in the underlying prices of fossil fuel inputs into electricity generation. Appendix Figure A.3 shows that there is significant variation in the prices of these fuels between 1976 and 2011, while Appendix Figure A.4 shows that changes in these prices will differentially affect some states more than others. We find that the instruments are strong predictors of electricity prices: Table 1 shows that these weighted entry-year and current fuel prices are important determinants of initial and current electricity prices, respectively.<sup>15</sup>

The identifying assumption is that plants’ differential exposure to changes in national fuel prices are uncorrelated with other production shocks, conditional on the variables in the model:

$$\mathbb{E}[Z_{st} \times \epsilon_{it} | \alpha_{js}, \tau_{jtt_0}] = 0 \quad (4)$$

For example, the inclusion of industry  $\times$  year  $\times$  entry year fixed effects controls for annual macroeconomic conditions that could affect both plant’s production choices and national fuel prices.<sup>16</sup> The identifying assumption would be violated if states’ fuel generation shares in 1976, which determine exposure to national fuel prices changes, are correlated with other factors that affect plants’ production decisions. The availability of skilled labor, for instance, is one such factor that could be correlated with shocks to plants’ labor demand. Since our instrument is an exposure design, we assess the validity of the identifying assumption by examining whether state fuel electricity generation shares are correlated with available state characteristics related to input use that could suggest other channels through which the instruments could affect the outcomes of interest (Goldsmith-Pinkham et al., 2020). Reassuringly, Appendix Table A.4 shows no evidence of significant systematic relationships between state fuel shares and these characteristics, which supports the identifying assumption.<sup>17</sup> Appendix D discusses this indirect test of instrumental exogeneity in greater detail.

<sup>14</sup>We focus on electricity generation shares from fossil fuels that are traded in commodity markets, as opposed to fuels without clearly defined market prices (e.g., hydro and nuclear generation).

<sup>15</sup>In practice, electricity in the U.S. is distributed within electric power markets that correspond roughly to groups of states. As a result, variation in fuel generation shares is smaller than suggested by these maps due to intra-regional trade. Despite this, we still find that our state-level instruments are strongly predictive of plant electricity prices.

<sup>16</sup>Specifically, industry  $\times$  year  $\times$  entry year fixed effects control for e.g., annual shocks that are common to all cement plants that opened in 1990. The geographic clustering of entrants in specific industries reduces concern about exposure to state  $\times$  year variation since our instrument precludes the inclusion of state  $\times$  year fixed effects. Appendix Tables A.7 and A.8 shows that the results are robust to the inclusion of state  $\times$  year trends.

<sup>17</sup>Data on state characteristics are from the Federal Reserve Bank of St Louis database (FRED) and the 5 percent

In equation (2), both current electricity prices  $p_{it}$  and initial electricity prices  $p_{it_0}$  are potentially endogenous. We therefore include instruments  $Z_{st}$  based on the contemporaneous fuel prices measured at  $t$  as instruments for log current prices  $p_{it}$  and  $Z_{st_0}$  based on the fuel prices in the year  $t_0$  when the plant opened as instruments for log initial prices  $p_{it_0}$ . Specifically, the first stage regression equation for current prices  $p_{it}$  is:

$$p_{it} = \gamma_1 Z_{-s,t}^{coal} + \gamma_2 Z_{-s,t}^{gas} + \gamma_3 Z_{-s,t}^{oil} + \gamma_4 Z_{-s,t_0}^{coal} + \gamma_5 Z_{-s,t_0}^{gas} + \gamma_6 Z_{-s,t_0}^{oil} + \alpha_{js} + \tau_{jtt_0} + \psi_{it} \quad (5)$$

and the first stage regression equation for initial prices replaces  $p_{it_0}$  as the outcome variable.

In some specifications, we also examine whether the importance of initial prices depends on the plant's age. To do so, we extend equation (2) by interacting the log of initial electricity prices with the age of the plant in years:

$$y_{it} = \beta_0 p_{it_0} + \beta_1 p_{it} + \beta_2 p_{it_0} \times age_{it} + \alpha_{js} + \tau_{jtt_0} + \epsilon_{it} \quad (6)$$

In these heterogeneous effects models, we also include the interaction of the shift-share instruments  $Z_{st_0}$  with the variable age in the first stage.

## 5.2 Production Function Estimation

To separately recover plants' total factor and energy-augmenting productivity shocks, we estimate a model of plants' production decisions (Akerberg et al., 2015; Olley and Pakes, 1996). Commonly used models of manufacturing production functions, notably Cobb-Douglas and translog, do not allow for complementarity between inputs and factor-specific productivity shocks. Since these characteristics are necessary for lock-in to arise, studying the causes of the persistent effects of entry-year energy prices requires extending more general models of production to include energy (Demirer, 2020; Doraszelski and Jaumandreu, 2018).

As discussed in Section 3, we use a constant elasticity of substitution (CES) production function,

---

sample of the Integrated Public Use Microdata Series (IPUMS) of US Census Data. We examine the correlation of fuel shares with state characteristics in 1980, rather than in 1976 when our Bartik weights are measured, because 1980 is the closest year for which American Community Survey data from IPUMS are available.

which is sufficiently rich to allow for complementarity between inputs and factor-specific productivity while remaining empirically tractable. Plant  $i$  produces revenue in year  $t$  according to:

$$Y_{it} = \exp(\omega_{it}^H) \left( \beta_K K_{it}^{\frac{\sigma-1}{\sigma}} + L_{it}^{\frac{\sigma-1}{\sigma}} + (\exp(\omega_{it}^E) E_{it})^{\frac{\sigma-1}{\sigma}} \right)^{\frac{\nu\sigma}{\sigma-1}} \times \exp(\epsilon_{it})$$

where  $\sigma$  and  $\nu$  are respectively the elasticity of substitution and returns to scale,  $\omega_{it}^H$  is the Hicks-neutral total factor productivity, and  $\beta_K$  and  $\omega_{it}^E$  are the productivity of capital and energy inputs relative to labor inputs, respectively.<sup>18</sup> The two productivity shocks  $\omega_{it}^H$  and  $\omega_{it}^E$  are known by the plant when it chooses inputs, whereas  $\epsilon_{it}$  represents unanticipated randomness in production.

Estimating equations for the productivity shocks are based on the first-order conditions of the plant's profit maximization problem for their static inputs (i.e., labor  $L_{it}$  and energy  $E_{it}$ ). We follow the literature in assuming that both labor and energy (i.e., materials) are static inputs that are not subject to adjustment frictions.<sup>19</sup> In each period, plants choose labor and energy, given their capital stock  $K_{it}$ , productivity draws, and prices to maximize their profits:

$$\max_{L,E} p_Y Y(L, E; K_{it}, \omega_{it}^H, \omega_{it}^E) - w_{it} L - p_{it}^E E$$

where  $w_{it}$  and  $p_{it}^E$  are the prices of labor and electricity, respectively. We obtain an expression for energy-augmenting productivity shocks  $\omega_{it}^E$  by taking the log of the ratio of the first-order conditions for the choices of energy and labor:

$$l_{it} - e_{it} = -\sigma(w_{it} - p_{it}^E) + (1 - \sigma)\omega_{it}^E \quad (7)$$

Inputs and prices in equation (7) are observed, and so given the elasticity of substitution  $\sigma$ , we can estimate  $\omega_{it}^E$ . Intuitively, if labor and energy are complementary inputs (i.e.  $\sigma < 1$ ), then conditional on prices a higher ratio of labor to energy inputs implies a higher relative productivity

---

<sup>18</sup>Note that the levels of factor-specific productivities are not separately identifiable from total factor productivity, so without loss of generality we normalize labor productivity to one and express energy and capital productivities relative to labor productivity.

<sup>19</sup>If electricity is not a static input (due to, for example, hedging behavior against future price increases), then beliefs about future electricity prices would induce plants to lock in electricity contracts today. Our treatment of electricity here mirrors the treatment of labor as a static input despite practical concerns around long-term contracts, severance pay, etc (Akerberg et al., 2015; Olley and Pakes, 1996).

of energy. With these estimates of  $\omega_{it}^E$ , we can then recover total factor productivity,  $\omega_{it}^H$ , from the first-order condition for energy, given the values for the rest of the production function parameters.

We recover the production function parameters using standard estimation methods based on the assumption of AR(1) evolution of the productivity shocks, as in [Akerberg et al. \(2015\)](#).<sup>20</sup> The timing of plants' input decisions and the Markov structure for the productivity shocks imply that all past input choices are uncorrelated with the productivity innovations, allowing us to use lagged (log) inputs,  $l_{it-1}$ ,  $e_{it-1}$ , and  $k_{it-1}$ , and lagged wage and electricity prices,  $w_{it-1}$  and  $p_{it-1}^E$  as instruments in the moment conditions. For each four-digit NAICS industry, we obtain parameter estimates  $\tilde{\theta} = (\sigma, \nu, \beta_K)$  and standard errors using the two-step generalized method of moments (GMM) estimator ([Hansen, 1982](#)). Appendix E provides a detailed discussion of the estimation procedure.

In what follows, we focus on our estimated relative energy productivity and total factor productivity measures and their relationship with initial and current energy prices. Overall, we find that our estimates of the production function parameters have reasonable signs and magnitudes and are comparable to estimates in the literature using CES or nested CES functional forms, with or without energy as a separate input (e.g., [Doraszelski and Jaumandreu, 2018](#); [Hassler et al., 2012](#); [Ryan, 2012](#)). Appendix Table A.5 shows that we find that capital, labor, and energy are strongly complementary; our average estimate of  $\sigma$  is around 0.25.<sup>21</sup> Our estimate of the returns to scale parameter  $\nu$ , which is around 0.65, is also consistent with estimates from the literature. Our  $\nu$  estimates are smaller than [Doraszelski and Jaumandreu \(2018\)](#)'s estimates of around 0.9 in Spanish data, which can be explained by the fact that our returns to scale parameter combines the effects of returns to scale and downward-sloping demand that are separately estimated in this other paper.<sup>22</sup> Our productivity estimates do not require us to assume perfect competition in output markets, but

---

<sup>20</sup>Physical productivity can be recovered as a rescaling of revenue productivity given information on prices and market structure ([Allcott et al., 2016](#)). Plant-level microdata on physical outputs are limited in most commonly used producer survey data ([Allcott et al., 2016](#); [Greenstone et al., 2012](#); [Ryan, 2018](#)).

<sup>21</sup>There are relatively few estimates of CES production function parameters involving energy inputs. Our results are comparable to [Hassler et al. \(2012\)](#) and [Ryan \(2012\)](#), who also estimate a strongly complementary relationship between energy and other inputs.

<sup>22</sup>[Doraszelski and Jaumandreu \(2018\)](#) also explicitly model research and development using data that is unavailable in the U.S. and which precludes our modelling of this margin of plant decisions, though [Ganapati et al. \(2020\)](#) show that endogenizing productivity does not appreciably change Cobb-Douglas estimates of U.S. manufacturing productivity.

implicitly assume price-taking behavior in input markets. If manufacturing plants were to have market power in electricity markets, then energy productivity would be biased downward—as electricity use increases, prices would increase—but the assumption of perfect competition on the input side is standard and seems plausible given the large number of manufacturing plants in the U.S.

## 6 Results

### 6.1 Energy Intensity

First, Table 1 shows that weighted national fuel prices are strongly predictive of both entry-year and current electricity prices, respectively in Columns 1 and 2. These results form a strong first stage for the instrumental variables analyses. The parameters are the effects of a 1% change in fuel prices on electricity prices if a state generated 100% of its electricity from this fuel source. Coal prices are the most important determinant of entry-year electricity prices, and are approximately four to five times as important as natural gas and petroleum prices (Column 1). If a state generated its electricity entirely from coal in 1976, then a 10% increase in coal prices in a plant’s entry year would increase its entry-year electricity price by approximately 2.2%. In practice, the state average 1976 coal share is approximately 0.40, and so a 10% increase in coal prices increases electricity prices by 0.9%.<sup>23</sup> Reassuringly, fuel prices in the future are not predictive of entry-year electricity prices in the past, which provides some placebo evidence that it is energy prices in a plant’s entry year that are important. Initial fuel prices have small effects on current electricity prices, possibly reflecting some stickiness in electricity prices paid by plants, but current fuel prices become significantly more important (Column 2). Contemporaneous natural gas prices have the largest effect on current electricity prices, reflecting the shift toward natural gas electricity generation in recent years shown in Appendix Figure A.5. Ganapati et al. (2020), who examine the effects of contemporaneous fuel prices on manufacturing marginal costs, similarly highlight the importance of natural gas as a recent determinant of manufacturing costs.

Table 2 presents our first evidence of technology lock-in. This table shows that both initial and

---

<sup>23</sup>Appendix Table A.4 shows the 1976 state fuel generation shares that can be used to adjust the parameters in Table 1 to interpret them as elasticities.

current fuel prices have significant effects on current energy intensity. We consider effects on four different measures of energy intensity. Column 1 measures energy intensity using electricity consumed (in kWh) per dollar of revenue, which accounts for most energy use by manufacturing plants. Column 2 focuses on this same measure of energy intensity in “electricity-intensive industries”, excluding industries that spend more than 30% of total energy expenditures on other sources of energy as direct inputs. This subsample focuses on plants that use electricity as an energy input almost exclusively, with limited ability to substitute to other energy sources in response to electricity price changes.<sup>24</sup> Columns 3 and 4 use kg CO2 and million BTU per dollar revenue as measures of total energy intensity, respectively. These last two measures include energy from other energy sources and therefore account for changes in energy intensity due to any substitution between electricity and other fuel sources. Figure 3.a shows that the time trends in energy intensity are highly correlated across these three measures, and that aggregate electricity intensity has declined by approximately 30% since 1976 by all three metrics.<sup>25</sup>

We find consistent results across each of these measures of energy intensity and in the “electricity-intensive” industries subsample. In all models in Table 2, the current natural gas price has a larger impact on current energy intensity than contemporaneous coal or petroleum prices, which is indicative of the recent shift toward natural gas electricity generation after the fracking boom in the 2000s.<sup>26</sup> The precisely estimated zero effect of current petroleum oil prices is consistent with the limited use of petroleum in generating electricity today, shown in Appendix Figure A.2.<sup>27</sup> By contrast, despite the declining roles of petroleum and coal in electricity generation, entry-year coal and petroleum prices have persistent effects on energy intensity. This is lock-in: the prices of these fossil fuels continue to affect plants’ energy intensity even after the economy has transitioned to

---

<sup>24</sup>Both analyses continue to exclude feedstock fuels in industries such as oil refining.

<sup>25</sup>Consistent with our results, Linn (2008) and Levinson (2021) document declining energy intensity of manufacturing production over approximately half of our time period. Huntington (2010) and Metcalf (2008) additionally find similar trends using sector- and state-level data, respectively. The CO2 and BTU intensity measures in Figure 3.a are more highly variable since these are surveyed less frequently and on fewer plants than the electricity measures. In Appendix F, we show that including or excluding periods covered by the different energy surveys (i.e., MECS and ASM Fuels Trailers) and imputed values in intervening years doesn’t change the results of our analysis below.

<sup>26</sup>Appendix Table A.1 shows that the average current year is 1997 while the average entry year is 1988, which suggests that fracking-induced price changes are more heavily concentrated in current prices. Appendix Figure A.2 shows the rise in importance of natural gas over time.

<sup>27</sup>Comparing Appendix Figures A.2 and A.5 shows that most states generating electricity using petroleum oil in 1976 substantially reduce their use of it by 2011.

other fuel sources. The elasticity of energy intensity with respect to entry-year coal prices is more than twice the current natural gas price elasticity even before accounting for the higher 1976 coal generation share. These results underscore that the continued expansion of coal power capacity, particularly in developing countries, could lead to higher manufacturing energy intensity even if these economies eventually transition to cleaner fuel sources.

This evidence of lock-in is also apparent in both the OLS and instrumental variables analyses of the effects of initial and current electricity prices on energy intensity (Table 3, Panels A and B respectively). In both analyses and across our four energy intensity measures, entry-year electricity prices have significant effects on energy intensity in subsequent years. In our preferred IV specifications, the initial price elasticity is between -0.14 and -0.35, which is approximately 25% of the elasticity with respect to current electricity prices. As a result, failing to price carbon in plants' entry year leaves an average of 25% of the energy-reduction benefits on the table. The price effects on energy intensity measures that include and exclude other fuel sources (i.e., BTU and CO2 intensity) are similar in sign, magnitude, and precision, plausibly because electricity comprises approximately 95% of thermal energy consumed on average and so fuel-switching in response to electricity price changes is relatively limited. We highlight that the inclusion of industry  $\times$  year  $\times$  entry year fixed effects controls for plant vintage within each industry, so that the estimates comprise the effect of changes in the price of electricity for plants with the same technologies available to them when they entered.

The initial electricity price elasticity is larger in magnitude in the IV models than in the OLS models, consistent with measurement error in the entry-year electricity prices that are annual averages across entrants in each industry and state if a plant is not surveyed in its entry year. Such measurement error biases the estimates against finding evidence that initial electricity prices are persistent. The elasticity of energy intensity with respect to current electricity prices is about -0.80 (i.e., relatively elastic), suggesting that plants do respond to current electricity price changes in the presence of lock-in. This estimate is more similar in sign, magnitude, and precision in both the OLS and IV models; current electricity prices are always measured at the plant level and are therefore less likely to be subject to measurement error in the OLS estimates.<sup>28</sup> Appendix Table A.7 shows

---

<sup>28</sup>Our estimated elasticity of energy intensity with respect to current electricity prices is somewhat larger than

that both our initial and current price elasticities are robust to estimation using different covariates, data subsamples, and electricity price data sources, including using electricity prices from SEDS rather than our plant-level measures. We discuss these other estimates in Appendix F. Since entry decisions may be made before a plant enters and investment decisions may also depend on prices in years after entry, we also show in Appendix Table A.10 that we obtain statistically indistinguishable estimates of the effects of electricity prices on energy intensity if we use the electricity price in the year before a plant enters (Panel A) and if we control for the mean of electricity prices in between the year of entry and the current year (Panel C).

We find limited evidence that the importance of entry-year electricity prices declines as plants age, suggesting that lock-in is persistent (Table 6, Columns 1-3). The effect of age is not statistically significant and the point estimate is small for most energy intensity measures; we can rule out declines in the elasticity in excess of 10% per year with 95% confidence. At the point estimates, it would take roughly 25 years for the effect of entry-year prices to fade, which Appendix Table A.3 shows is 10 years longer than the average plant lifetime. Any decline in the average importance of entry-year prices could be due to plants' gradual investments in energy efficiency improvements or due to changes in entry and exit; the IV estimates combine both of these effects for surviving plants. Since the most locked in plants are the ones that are mostly likely to exit in response to energy price changes, our estimates on surviving plants here provide an upper bound on plants' ability to respond to price changes and mitigate lock-in without ceasing operations. We turn now to assess the effects of initial electricity prices on the productivity of plants' inputs to understand the extent to which capital adjustment costs and underlying technological differences can explain the persistent effect of electricity prices.

---

estimates in Linn (2008) using different variation based on fixed weight price indices as instruments for energy prices. Appendix Table G shows that our estimates of the effects of current prices on quantity of electricity purchased, rather than intensity, are within the range of elasticity estimates in the literature for industrial consumers (Blonz, 2021; Paul et al., 2009). We are unaware of any estimates of entry-year price elasticities for years after entry against which to compare ours; Linn (2008) finds that, in their entry year, entrants respond 30-50% less to current prices than incumbents.

## 6.2 Productivity

Our productivity results use as outcome variables our energy and total factor productivity estimates from Section 5.2. Figure 3.b shows the time trends of total factor productivity and the relative productivity of energy compared with labor. This figure shows that the time series of the relative productivity of energy compared with labor is relatively constant until the mid-2000s, then begins to fall to about 75% of its 1976 level. This trend implies similar growth in the productivities of energy and labor over much of this time period, and is based on more granular data than previous studies (Hassler et al., 2012). Meanwhile, the total factor productivity trend shows that the productivity of all inputs has more than doubled over this time period, consistent with prior work (Greenstone et al., 2012).

Table 4 begins to show that initial energy prices lead to persistent differences in these productivities. Columns 1 and 2 show that both initial and current raw fuels prices have long-run effects on the energy bias of technological change, for all industries and electricity-intensive industries respectively. Plants that enter when petroleum or coal prices are high consistently use their energy inputs more efficiently relative to their labor inputs: a 10% increase in the entry-year price of one of these raw fuels increases energy productivity by 0.7% and 0.1%, respectively.<sup>29</sup> Similarly to our energy intensity results, we find that contemporaneous natural gas prices are important determinants of relative energy productivity. Conversely, the effects of initial and contemporaneous fuel prices on total factor productivity are an order of magnitude smaller and are generally statistically indistinguishable from zero: higher entry-year raw fuel prices bias technological change toward energy relative to labor, but do not affect total factor productivity in meaningful ways.

Turning to the OLS and instrumental variables estimates of the effects of electricity prices on productivity, we again find evidence of lock-in of plants' productivity bias (Table 5). Plants that pay higher electricity prices in their entry year exhibit persistently higher energy productivity relative to labor productivity, both in the OLS estimates (Panel A) and in the instrumental variables estimates (Panel B). We again find instrumental variables estimates of the relative energy productivity effects in that are larger in magnitude than the OLS estimates, consistent with measurement error in initial

---

<sup>29</sup>Similarly to Table 2, we adjust the energy elasticity estimates in Table 4 by the average 1976 fuel generation shares in Appendix Table A.4 to arrive at the average weighted elasticity.

electricity prices. Focusing specifically on our preferred instrumental variables estimates, we find that a 10% increase in entry-year electricity prices increases relative energy productivity by 3%, with no effect on total factor productivity. Taken together, this pattern of results indicates that plants that select into entry at higher electricity prices are not only using fewer energy inputs per dollar of revenue, as we showed above; they are also using these inputs more efficiently.<sup>30</sup>

The responses of energy-specific productivity to entry-year and current electricity prices are also consistent with directed technical change. Higher entry-year prices encourage adoption of more energy-efficient production processes, but contemporaneous energy productivity also improves relative to other inputs if prices subsequently increase.<sup>31</sup> However, entry-year electricity prices are almost as important as contemporaneous ones: the elasticities are statistically indistinguishable in Table 5. The overall effect of entry-year electricity prices on relative energy productivity is more than five times as large as the same increase in coal transport costs on relative coal capital investment (Meng, 2021) and the effects of air pollution regulation on manufacturing total factor productivity (Greenstone et al., 2012). These economically meaningful estimates highlight the important role of higher energy prices and, by extension, carbon pricing policies in directly incentivizing reductions in energy use.

Our results suggest that differences in the relative productivity of energy inputs chosen at entry are able to fully explain why technology lock-in arises. The effect of entry-year energy prices on productivity indicates that selection at entry on the basis of these prices is important: marginal entrants at higher prices are more productive, and then these differences in productivity persist over time. The magnitudes of the relative energy productivity effects of initial electricity prices are somewhat larger and statistically indistinguishable from the effects on energy intensity in Table 3. Appendix A.1 shows that the overall lock-in effect is the weighted sum of the wedge in energy intensity between new entrants and incumbents that arises due to capital adjustment costs and the elasticity of productivity with respect to entry-year prices, where the weights depend on the substitution parameter; for selection on productivity to fully explain the difference between entrants

---

<sup>30</sup>Recall that the energy productivity estimate gives the relative productivity of energy inputs to labor inputs, and hence alone does not indicate an overall increase in energy productivity.

<sup>31</sup>We expect current electricity prices to be correlated with current productivity because both depend on historical prices. This is true even when innovations in the price and productivity series are independent.

and incumbents' elasticities of energy intensity, we expect the elasticity of energy productivity to be weakly larger than the elasticity of energy intensity.<sup>32</sup> An implication of our empirical results therefore is that the contribution of capital adjustment costs to creating lock-in appears to be small by comparison.<sup>33</sup> Relative to the model results in Figure 1 and Appendix Figure A.1, our estimate of the effect of entry-year electricity prices on energy intensity is analogous to slope of the curve showing total lock-in for plants facing capital adjustment costs (i.e., the short-dashed curve), averaged across plants. The similar magnitudes of our energy intensity and energy productivity elasticities suggest that energy intensity and energy productivity respond to changes in entry-year electricity prices approximately one-for-one, so that the curve measuring the energy intensity of incumbents absent capital adjustment costs lies very close to the curve measuring total lock-in in these figures (i.e., the solid and short-dashed curves, respectively).

Similarly to the energy intensity results, we find that the effects of entry-year electricity prices on relative energy productivity persist throughout a plant's lifetime. Table 6 shows that there is limited evidence of a decline in the effects of initial electricity prices as plants age; an additional year of operations reduces the effect of entry-year electricity prices on relative energy productivity by 2%. These results indicate significant path dependence in the productivity bias of energy inputs and the importance of correctly aligning plants' incentives when they choose their production technologies.

In Appendix Table A.6, we also show estimates of the effects of entry-year electricity prices on quantities of energy inputs consumed, as opposed to energy intensity; we find that these effects can also be explained by persistent differences in relative productivity, though are somewhat less precisely estimated than the intensity elasticities.<sup>34</sup> We discuss these estimates in more detail in Appendix F, and Appendix Table A.8 discusses the robustness of the elasticity estimates to the use of different covariates, data subsamples, and data sources. The results using these alternative models are similar in sign, magnitude, and precision to our main estimates, as are estimates that

---

<sup>32</sup>The weights based on the substitution parameter reflect the fact that energy and capital are complementary, which is a necessary condition for capital adjustment costs to constrain energy choices.

<sup>33</sup>The non-linearity of capital adjustment frictions implies that there may be heterogeneous effects depending on the size of the price change. The difference between lock-in for a plant facing adjustment costs and for a hypothetical plant with fully flexible capital is non-monotonic in the price change, and largest for plants which are close to the threshold at which paying fixed adjustment costs is optimal. This implies that targeted capital adjustment subsidies are likely to be more effective than ones applied to all firms.

<sup>34</sup>The estimates on levels of energy use, rather than intensity, shown in Appendix Table A.6 suggest that much of the response of energy intensity is in fact driven by changes in energy usage.

account for a potential lag between the decision to open and the first year of operations (Appendix Table A.11). We also find less precisely estimated effects of similar magnitude of entry-year prices on productivity when controlling for the mean of electricity prices in the years between entry and today, on the sample of plants that are at least three years old, suggesting that lock-in at entry arises while plants continue to make investment decisions based the prices that prevail at different times throughout their life (Appendix Table A.11).

The effects of entry-year electricity prices on energy intensity and energy productivity do not appear to be driven by any single industry. Appendix Table A.9 presents estimates of heterogeneous effects of entry-year electricity prices on these outcomes for eleven major industry groups (Doraszel-ski and Jaumandreu, 2018). Appendix H discusses these heterogeneity results in more detail, but a key take-away is that lock-in seems to be important in all industries, though the differential lock-in effects by industry are imprecisely estimated. These results also suggest that the effects of entry-year electricity prices are not meaningfully different in industries that produce more or less homogeneous goods (e.g., printing and paper products versus transportation goods), that produce many or fewer products (e.g., chemicals versus timber and furniture), or that do and do not use fuel feedstocks in important ways (e.g., non-metallic minerals versus agricultural machinery). Appendix Table A.2 shows that our different measures of energy intensity vary across these industry groups on average.

## 7 Discussion and Implications for Climate Policy

Overall, we find robust evidence of technology lock-in: entry-year electricity prices are important determinants of lifetime manufacturing energy use, given plants’ expectations of future prices. It is worth noting that these lock-in elasticity estimates are agnostic about plants’ beliefs about future prices, and their interpretation does not require taking a stand on what these beliefs actually are. Indeed, Appendix Figure A.1 shows that lock-in arises in both extreme cases of perfect foresight and complete ignorance about future price changes. These simulation results do suggest that commitment to carbon pricing could reduce current energy intensity by correctly aligning plants’ beliefs about the future path of electricity prices for plausible carbon tax magnitudes; prior research finds

similar anticipation results for other U.S. environmental regulation ([Clay et al., 2021](#)). For moderate price changes, energy intensity of incumbents with perfect foresight is below energy intensity of incumbents who do not anticipate future price changes (Appendix Figures [A.1.a](#) v. [A.1.b](#)), though delaying even anticipated carbon pricing creates lock-in due to discounting of higher energy costs in the future in favor of lower investment costs today. For large, unanticipated price changes, the most locked-in plants close. As a result, if plants ignore information about future energy price changes, then the announcement of future carbon price increases may have a more limited effect on energy efficiency today and until the price changes actually occur.

There are at least three reasons why our lock-in estimates may be lower bounds on the effects of entry-year electricity prices on subsequent energy efficiency. That is, the estimates may underestimate improvements in energy efficiency resulting from a carbon tax. The first reason is related to the closure of the most locked in plants in response to price changes. Our effects measure changes in the average energy intensity of surviving plants, which excludes the plants that exited (or did not enter) in response to higher electricity prices. Therefore, the effects that we estimate measure the extent to which the average plant can improve its energy efficiency through investment or changes in input mix, without ceasing operations. Since the plants that exit are plausibly the ones most locked in to the dirtiest technologies, our estimates may underestimate lock-in at the plant level, and therefore average energy efficiency may improve more in response to a carbon tax than our estimates suggest.<sup>35</sup>

Second, our use of revenue-based total factor productivity measures also understates the effects of energy prices compared with quantity-based productivity measures. Revenue-based productivity measures are standard in the literature due to limitations of most plant-level data sets, which typically do not collect detailed output price and quantity data ([Allcott et al., 2016](#); [Ganapati et al., 2020](#); [Greenstone et al., 2012](#)). When marginal costs rise as energy becomes more expensive, standard theory predicts that plants with market power will increase prices for their products and reduce quantities supplied. The revenue-based productivity measures capture any negative effects of increasing energy costs as well as any positive price change, which could cause us to understate the effect of electricity prices on total factor productivity; it may be that increasing electricity prices

---

<sup>35</sup>This intuition underlies the results of our simulations of the multi-period model in Appendix [A.2](#).

would generate larger total factor productivity improvements than our estimates suggest.

Third, we investigate the persistent effects of short-run electricity price variation resulting from year-on-year variation in raw fuels prices. Conversely, a goal of carbon pricing is to implement long-run increases in electricity prices through policy. The responses to the short-run price variation that we study are consistent with plants’ basing their best guess of electricity prices tomorrow on observed electricity prices today (i.e., with plants believing that prices follow a random walk).<sup>36</sup> Our lock-in estimates again may understate the energy efficiency effects of sustained commitment to higher electricity prices because plants may install more energy-efficient technology with the knowledge that prices may be higher for many years in the future.

Our estimates of the existence and nature of technology lock-in could help inform climate policy. A first key take-away is that delayed action on carbon pricing seems likely to come at the expense of significant energy efficiency gains. Timely implementation of carbon pricing is one policy that could help incentivize early and persistent reductions in industrial energy use. Our elasticity estimates suggest that a given plant’s energy intensity falls by approximately 2.5% through its lifetime for every 10% increase in entry-year electricity prices. This price increase is roughly equivalent to the change resulting from a carbon tax on the U.S. electricity sector of 28 \$/metric ton CO<sub>2</sub>, or about half of estimates of the social cost of carbon used in government policy (Carleton and Greenstone, 2021; Cleary and Palmer, 2020). The lasting “hysteresis” effect of entry-year prices suggests that such a carbon tax need not be permanent for reductions in lifetime energy use to occur. However, the price changes needed to achieve U.S. industrial energy efficiency targets seem to be large: a 30% reduction in energy intensity for the average existing plant requires increasing electricity prices by 120%.

In addition, our results suggest that there could be a role for vintage-differentiated energy efficiency regulations in industry. These types of regulations are rarely employed in manufacturing, but are more common in sectors such as transportation and construction (Jacobsen and Kotchen, 2013; Levinson, 2021; Stavins, 2006; West et al., 2017). In manufacturing, existing pollution reg-

---

<sup>36</sup>Consistent with this interpretation, we also find that energy intensity and productivity respond similarly to entry-year electricity prices regardless of whether plants open during increasing or decreasing electricity price regimes, and that the response to the one-period lag of electricity prices is similar in sign, magnitude, and precision to the main estimates (Appendix Tables A.10 and A.11).

ulations tend to “grandfather” older plants by exempting them from meeting the latest standards (Stavins, 2006). By contrast, we show that efficiency mandates or technology adoption subsidies to manufacturing plants that entered during low energy price regimes could potentially help reduce persistent differences in energy use created by lock-in if appropriately targeted.

Finally, the response of energy-specific productivity to entry-year prices suggests that directed technological change could play an important role in reducing industrial energy use. One possible way to improve the productivity of energy inputs is through subsidies for energy-specific research and development, which Casey (2022) shows advance new energy-efficient technologies that reduce industrial energy use. Given the persistence of entry-year technologies’ energy productivity, creating new technologies that use energy more productively and then incentivizing their initial adoption could reduce plants’ lifetime energy use in important ways.

Policies that incentivize industrial energy-efficiency improvements (such as vintage energy-efficiency regulations or technology adoption subsidies) and policies that incentivize reductions in emissions upstream in the electricity sector (such as carbon pricing) both help to reduce industrial energy intensity as long as the electricity sector is polluting. While this is the case in the U.S. today, and even more so in developing countries, expansion of the use of clean renewables (e.g., solar) in electricity generation will reduce the social costs of industrial electricity consumption. Such a transition to a cleaner grid would not necessarily reduce industrial energy intensity, but would reduce the negative externalities resulting from electricity consumption and the costs of delayed climate policy.

## 8 Conclusion

This paper provides new evidence of technology lock-in in the manufacturing sector and analyzes its causes and consequences. Using 35 years’ worth of U.S. Census microdata, we show two main ways in which technology lock-in arises. First, we estimate that the prices of fossil fuel inputs into electricity generation have persistent effects on manufacturing plants’ energy usage—even after the use of these fuels has declined. Second, we show that the prevailing electricity price in a plant’s entry year affects their energy usage throughout their lifetime: plants that are established when

electricity prices are low, below the full social cost of energy consumption, consume more energy in subsequent years. On average, we estimate that at least 25% of the energy reductions benefits from carbon pricing are lost by failing to implement these policies in a plant’s entry year.

By estimating plant-level total factor productivity and the relative productivity of energy to labor, we demonstrate that an initial and persistent effect of electricity prices on energy productivity seems to play a key role in explaining this lock-in. Plants may choose not to undertake later energy efficiency improvements due to capital adjustment costs, but we provide new evidence that their production functions are also different to begin with. Our results indicate that a 10% increase in entry-year electricity prices improves the productivity of energy relative to labor by approximately 3% in subsequent years. Abatement cost functions that ignore this lock-in seem likely to underestimate the emissions reductions benefits from imposing a carbon tax on new entrants and overestimate achievable emissions reductions from incumbents tomorrow. Estimating the implications of delayed climate policy on aggregate industry dynamics and misallocation through a macroeconomic lens and, by extension, what constitutes an optimal policy are important areas for future work.

The implications of these results for climate policy are consequential. Ignoring lock-in underestimates the benefits of pricing carbon today. In the absence of current commitments to do so, future policy may have to be more stringent to counteract the current path of energy-inefficient manufacturing production: small carbon taxes or clean technology subsidies may be insufficient to incentivize existing plants to reverse sunk and partially irreversible capital investments or otherwise to exit. Meanwhile, continued expansion of cheap fossil fuel power around the world seems likely to entrench energy-inefficient technologies and lock in higher emissions levels for many years. A major push to increase energy efficiency worldwide is a key part of proposals to constrain carbon emissions to “safe” levels, which will require annual improvements exceeding three times the annual rate achieved in the last two decades (IEA, 2021). Further delays in climate policy, and more plants locked into energy-inefficient technology, will make these targets increasingly difficult to achieve.

## References

- Acemoglu, D., Aghion, P., Barrage, L., and Hemous, D. (2019). Climate change, director innovation, and energy transition: The long-run consequences of the shale gas revolution. Working Paper. [1](#)
- Acemoglu, D., Aghion, P., Bursztyn, L., and Hemous, D. (2012). The environment and directed technical change. *American Economic Review*, 102(1):131–66. [1](#)
- Akerberg, D. A., Caves, K., and Frazer, G. (2015). Identification properties of recent production function estimators. *Econometrica*, 83(6):2411–2451. [5.2](#), [19](#), [5.2](#), [E](#)
- Allcott, H., Collard-Wexler, A., and O’Connell, S. D. (2016). How do electricity shortages affect industry? evidence from india. *American Economic Review*, 106(3):587–624. [2](#), [20](#), [7](#)
- Atkeson, A. and Kehoe, P. J. (1999). Models of energy use: Putty-putty versus putty-clay. *American Economic Review*, 89(4):1028–1043. [1](#), [3](#)
- Baily, M., Hulten, C., and Campbell, D. (1992). The distribution of productivity in manufactruing plants. *Brookings Papers: Macroeconomics*, 187. [11](#)
- Bartik, T. J. (1991). Who benefits from state and local economic development policies? *W.E. Upjohn Institute*. [1](#)
- Blonz, J. A. (2021). Making the best of the second-best: Welfare consequences of time-varying electricity prices. Energy Institute at Haas Working Paper 275. [28](#)
- Borenstein, S. and Bushnell, J. B. (2022). Do two electricity wrongs make a right? cost recovery, externalities, and efficiency. *American Economic Journal: Economic Policy*, 14(4):80–110. [2](#)
- Calel, R. (2020). Adopt or innovate: Understanding technological responses to cap-and-trade. *American Economic Journal: Economic Policy*, 12(3):170–201. [1](#)
- Carleton, T. and Greenstone, M. (2021). Updating the united states government’s social cost of carbon. Working Paper. [7](#)

- Casey, G. (2022). Energy efficiency and directed technical change: Implications for climate change mitigation. Working Paper. [7](#)
- Clay, K., Jha, A., Lewis, J. A., and Severnini, E. R. (2021). Impacts of the clean air act on the power sector from 1938-1994: Anticipation and adaptation. NBER Working Paper 28962. [1](#), [7](#)
- Cleary, K. and Palmer, K. (2020). Carbon pricing 201: Pricing carbon in the electricity sector. Technical report, Resources for the Future. [7](#)
- Colmer, J., Martin, R., Muuls, M., and Wagner, U. (2021). Does pricing carbon mitigate climate change? firm-level evidence from the european union emissions trading scheme. Working Paper. [1](#)
- Cullen, J. A. and Mansur, E. T. (2017). Inferring carbon abatement costs in electricity markets: A revealed preference approach using the shale revolution. *American Economic Journal: Economic Policy*, 9(3):106–133. [1](#)
- Demirer, M. (2020). Production function estimation with factor-augmenting technology: An application to markups. Working Paper. [1](#), [5.2](#)
- DNC (2021). The Biden plan for a clean energy revolution and environmental justice. Technical report, Democratic National Committee. [1](#)
- DOE (2006). Manufacturing energy and carbon footprints (2006 mecs). Technical report, U.S. Department of Energy. [B](#)
- Doraszelski, U. and Jaumandreu, J. (2018). Measuring the bias of technological change. *Journal of Political Economy*, 126(3):1027–1084. [1](#), [5.2](#), [5.2](#), [22](#), [6.2](#), [E](#), [H](#)
- EIA (2015). Barriers to industrial energy efficiency. Technical report, U.S. Energy Information Administration. [2](#)
- EIA (2019). International energy outlook 2019. Technical report, U.S. Energy Information Administration. [1](#)

- EIA (2020). State energy data system. [2](#), [4.2](#)
- EPA (2021). Sources of greenhouse gas emissions. Technical report, U.S. Environmental Protection Agency. [2](#)
- Fowlie, M., Reguant, M., and Ryan, S. P. (2016). Market-based emissions regulation and industry dynamics. *Journal of Political Economy*, 124(1):249–302. [1](#)
- Fried, S. (2018). Climate policy and innovation: A quantitative macroeconomic analysis. *American Economic Journal: Macroeconomics*, 10(1):90–118. [1](#)
- Gambhir, A., Butnar, I., Li, P.-H., Smith, P., and Strachan, N. (2019). A review of criticisms of integrated assessment models and proposed approaches to address these, through the lens of beccs. *Energies*, 12(1747):1–21. [1](#)
- Ganapati, S., Shapiro, J., and Walker, R. (2020). Energy cost pass-through in u.s. manufacturing: Estimates and implications for carbon taxes. *American Economic Journal: Applied Economics*, 12(2):303–342. [1](#), [2](#), [11](#), [5.1](#), [22](#), [6.1](#), [7](#), [B](#)
- Goldsmith-Pinkham, P., Sorkin, I., and Swift, H. (2020). Bartik instruments: What, when, how, and why. *American Economic Review*, 110(8):1586–2624. [1](#), [5.1](#), [D](#)
- Greenstone, M., List, J., and Syverson, C. (2012). The effects of environmental regulation on the competitiveness of u.s. manufacturing. NBER Working Paper 18392. [1](#), [20](#), [6.2](#), [7](#)
- Hansen, L. P. (1982). Large sample properties of generalized method of moments estimators. *Econometrica: Journal of the econometric society*, pages 1029–1054. [5.2](#), [E](#)
- Hassler, J., Krusell, P., and Olovsson, C. (2012). Energy-saving technical change. NBER Working Paper no. 18456. [1](#), [5.2](#), [21](#), [6.2](#), [A.2](#)
- Hawkins-Pierot, J. T. and Wagner, K. R. H. (2024). The use and misuse of average and marginal energy prices: Implications for climate policy. Working Paper. [2](#)


- Holland, S. P., Kotchen, M. J., Mansur, E. T., and Yates, A. J. (2022). Why marginal co2 emissions are not decreasing for us electricity: Estimates and implications for climate policy. *Proceedings of the National Academy of Sciences*, 119(8):1–11. [D](#)
- Huntington, H. G. (2010). Structural change and us energy use: Recent patterns. *Energy Journal*, 31(3):25–39. [25](#)
- IEA (2021). Net zero by 2050: A roadmap for the global energy sector. Technical report, International Energy Agency. [8](#)
- Jacobsen, G. D. and Kotchen, M. J. (2013). Are building codes effective at saving energy? evidence from residential billing data in florida. *The Review of Economics and Statistics*, 95(1):34–49. [7](#)
- Knittel, C. R., Metaxoglou, K., and Trindade, A. (2015). Natural gas prices and coal displacement: Evidence from electricity markets. NBER Working Paper 21627. [1](#)
- Levinson, A. (2021). Energy intensity: Deindustrialization, composition, prices, and policies in u.s. states. *Resource and Energy Economics*, 65(101243):1–17. [25](#), [7](#)
- Linn, J. (2008). Energy prices and the adoption of energy-saving technology. *Economic Journal*, 118:1986–2011. [1](#), [25](#), [28](#)
- Lyubich, E., Shapiro, J. S., and Walker, R. (2018). Regulating mismeasured pollution: Implications of firm heterogeneity for environmental policy. *AEA Papers and Proceedings*, 108:136–142. [4.1](#), [B](#), [G](#)
- Meng, K. (2021). Estimating path dependence in energy transitions. NBER Working Paper 22536. [1](#), [4](#), [6.2](#)
- Metcalf, G. E. (2008). An empirical analysis of energy intensity and its determinants at the state level. *Energy Journal*, 29(3):1–26. [25](#)
- Myllyvirta, L. and Shearer, C. (2021). China dominates 2020 coal plant development. Technical report, Global Energy Monitor. [1](#)

- NAM (2014). Efficiency and innovation in u.s. manufacturing energy use. Technical report, National Association of Manufacturers. [3](#)
- Nordhaus, W. D. and Boyer, J. (2000). *Warming the World: Economic Models of Global Warming*. MIT Press. [1](#)
- NREL (2009). Energy efficiency policy in the united states: Overview of trends at different levels of government. Technical report, National Renewable Energy Laboratory. [2](#)
- Olley, G. and Pakes, A. (1996). The dynamics of productivity in the telecommunications equipment industry. *Econometrica*, 64(6):1263–1297. [5.2](#), [19](#), [E](#)
- Paul, A., Myers, E., and Palmer, K. (2009). A partial model of u.s. electricity demand by region, season, and sector. Technical report, Resources for the Future. [28](#)
- Pindyck, R. S. (2020). What we know and don’t know about climate change, and implications for policy. NBER Working Paper 27304. [1](#)
- Pindyck, R. S. and Rotemberg, J. J. (1983). Dynamic factor demands and the effects of energy price shocks. *American Economic Review*, 73(5):1066–1079. [1](#), [3](#)
- Ryan, N. (2018). Energy productivity and energy demand: Experimental evidence from indian manufacturing plants. NBER Working Paper no. 24619. [3.1](#), [20](#), [A.2](#)
- Ryan, S. P. (2012). The costs of environmental regulation in a concentrated industry. *Econometrica*, 80(3):1019–61. [1](#), [5.2](#), [21](#)
- Seto, K. C., Davis, S. J., Mitchell, R. B., Stokes, E. C., Unruh, G., and Urge-Vorsatz, D. (2016). Carbon lock-in: Types, causes, and policy implications. *Annual Review of Environment and Resources*, 41:425–52. [1](#)
- Shapiro, J. S. and Walker, R. (2018). Why is pollution from u.s. manufacturing declining? the roles of environmental regulation, productivity, and trade. *American Economic Review*, 108(2):3814–54. [1](#)

- Shearer, C., N. G. L. M. A. Y. and Nace, T. (2010). Boom and bust 2016: Tracking the global coal plant pipeline. Technical report, CoalSwarm, Greenpeace, and Sierra Club. [1](#)
- Stavins, R. N. (2006). Vintage-differentiated environmental regulation. *Stanford Environmental Law Journal*, 25:29–63. [7](#)
- Stern, D. and Jotzo, F. (2010). Adopt or innovate: Understanding technological responses to cap-and-trade. *Energy Policy*, 38(11):6776–6783. [1](#)
- West, J., Hoekstra, M., Meer, J., and Puller, S. L. (2017). Vehicle miles (not) traveled: Fuel economy requirements, vehicle characteristics, and household driving. *The Journal of Public Economics*, 145:65–81. [7](#)


## 9 Figures and Tables

Figure 1: Simulated Lock-in



*Notes:* This figure shows simulation results for the energy intensity of incumbent manufacturing plants relative to entrants as a function of their entry-year energy price. The x-axis shows initial energy price as a fraction of the current price. “Static with exit” shows relative energy intensity in scenarios where plants cannot adjust their capital stocks after they enter. “Partial capital and exit” shows relative energy intensity in scenarios where incumbents can re-optimize their capital stock subject to fixed and convex adjustment costs. “Flexible capital and exit” shows relative energy intensity in scenarios where all inputs can be re-optimized without adjustment costs. Energy intensity of entrants is normalized to 1.


Figure 2: Time Series of Electricity Prices




*Notes:* This figure shows the time series of average electricity prices paid by the industrial sector in the United States. Prices are in 2011 dollars per million British thermal units (BTU).

Figure 3: Time Series of Energy Intensity and Productivity

Panel A: Energy Intensity Trends



Panel B: Productivity Trends



*Notes:* This figure shows the time series of average energy intensity (Panel A) and relative energy productivity and total factor productivity (Panel B) of the manufacturing sector in the United States. Energy intensity is calculated as electricity consumption (kWh) per dollar of revenue, kg CO2 produced per dollar revenue, and million BTU per dollar revenue. The productivity of energy inputs is measured relative to labor. Productivities are the authors' calculations using the estimation procedure outlined in Section 5.2.

Table 1: First Stage Effects of Weighted Fuel Prices on Electricity Prices

	$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$ (1)	$\log(\text{Current\_Electricity\_Price}_{i,t})$ (2)
$\text{Coal\_Share}_{s,1976} \times \text{Current\_Coal\_Price}_{-s,t}$	0.013 (0.009)	0.065* (0.035)
$\text{Natural\_Gas\_Share}_{s,1976} \times \text{Current\_Gas\_Price}_{-s,t}$	-0.006* (0.003)	0.058*** (0.012)
$\text{Petroleum\_Share}_{s,1976} \times \text{Current\_Petroleum\_Price}_{-s,t}$	0.003 (0.003)	0.012 (0.010)
$\text{Coal\_Share}_{s,1976} \times \text{Initial\_Coal\_Price}_{-s,t_0}$	0.220*** (0.049)	0.055** (0.023)
$\text{Natural\_Gas\_Share}_{s,1976} \times \text{Initial\_Gas\_Price}_{-s,t_0}$	0.056*** (0.012)	0.011* (0.006)
$\text{Petroleum\_Share}_{s,1976} \times \text{Initial\_Petroleum\_Price}_{-s,t_0}$	0.036*** (0.012)	0.019*** (0.005)
N	1294000	1294000
Industry $\times$ Year $\times$ Entry Year Fixed Effects	Yes	Yes
Industry $\times$ State Fixed Effects	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* This table shows the effects of initial and contemporaneous coal, natural gas, and petroleum prices on the log of initial and contemporaneous electricity prices. Fuel prices are calculated as the leave-out-mean log price across states and weighted by the share of each fuel in electricity generation in each state. Electricity prices are measured in USD per kWh (2011). Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. Standard errors clustered by state are in parentheses.

Table 2: Reduced Form Effects of Weighted Fuel Prices on Energy Intensity

	$\log(\text{Electricity\_Intensity}_{i,t})$	$\log(\text{Electricity\_Intensity}_{i,t})$ Elec-Intensive Industries	$\log(\text{CO}_2\text{-Intensity}_{i,t})$	$\log(\text{BTU\_Intensity}_{i,t})$
	(1)	(2)	(3)	(4)
$\text{Coal\_Share}_{s,1976} \times \text{Current\_Coal\_Price}_{-s,t}$	0.043 (0.031)	0.055 (0.036)	-0.019 (0.041)	0.073* (0.039)
$\text{Natural\_Gas\_Share}_{s,1976} \times \text{Current\_Gas\_Price}_{-s,t}$	-0.053*** (0.011)	-0.052*** (0.012)	-0.053*** (0.011)	-0.056*** (0.012)
$\text{Petroleum\_Share}_{s,1976} \times \text{Current\_Petroleum\_Price}_{-s,t}$	-0.000 (0.009)	-0.004 (0.009)	0.001 (0.010)	0.001 (0.010)
$\text{Coal\_Share}_{s,1976} \times \text{Initial\_Coal\_Price}_{-s,t_0}$	-0.121*** (0.028)	-0.123*** (0.031)	-0.163*** (0.029)	-0.129*** (0.029)
$\text{Natural\_Gas\_Share}_{s,1976} \times \text{Initial\_Gas\_Price}_{-s,t_0}$	-0.003 (0.009)	-0.013 (0.012)	0.001 (0.008)	0.002 (0.008)
$\text{Petroleum\_Share}_{s,1976} \times \text{Initial\_Petroleum\_Price}_{-s,t_0}$	-0.028*** (0.005)	-0.031*** (0.006)	-0.028*** (0.005)	-0.024*** (0.005)
N	1294000	955000	1294000	1294000
Industry $\times$ Year $\times$ Entry Year Fixed Effects	Yes	Yes	Yes	Yes
Industry $\times$ State Fixed Effects	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* This table shows the effects of initial and contemporaneous coal, natural gas, and petroleum prices on the log of plants' energy intensity. Electricity intensity is measured in kWh per dollar of revenue, CO2 intensity is kg CO2 per dollar of revenue, and BTU intensity is BTU per dollar of revenue. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Fuel prices are calculated as the leave-out-mean log price across states and weighted by the share of each fuel in electricity generation in each state. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table 3: Effects of Initial and Current Electricity Prices on Energy Intensity

	$\log(\text{Electricity\_Intensity}_{i,t})$	$\log(\text{Electricity\_Intensity}_{i,t})$ Elec-Intensive Industries	$\log(\text{CO}_2\text{-Intensity}_{i,t})$	$\log(\text{BTU\_Intensity}_{i,t})$
	(1)	(2)	(3)	(4)
Panel A: OLS				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.851*** (0.012)	-0.831*** (0.011)	-0.824*** (0.010)	-0.807*** (0.009)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.040*** (0.009)	-0.037*** (0.010)	-0.028*** (0.010)	-0.026** (0.010)
Panel B: IV				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.764*** (0.090)	-0.734*** (0.104)	-0.829*** (0.072)	-0.761*** (0.087)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.165*** (0.051)	-0.232*** (0.059)	-0.289*** (0.079)	-0.144** (0.059)
K-P $F$ stat	12.1	11.9	12.1	12.1
N	1294000	955000	1294000	1294000
Industry $\times$ Year $\times$ Entry Year FE	Yes	Yes	Yes	Yes
Industry $\times$ State FE	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* This table shows the effects of initial and contemporaneous log electricity prices on the log of plants' energy intensity. Models in Panel A are estimated using OLS and models in Panel B are estimated using IV. In IV models, electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation. Electricity prices are measured in dollars per kWh, electricity intensity is kWh per dollar of revenue, CO2 intensity is kg CO2 per dollar of revenue, and BTU intensity is BTU per dollar of revenue. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table 4: Reduced Form Effects of Weighted Fuel Prices on Productivity

	$\log(\text{Energy\_Productivity}_{i,t})$	$\log(\text{Energy\_Productivity}_{i,t})$ Elec-Intensive Industries	$\log(TFP_{i,t})$	$\log(TFP_{i,t})$ Elec-Intensive Industries
	(1)	(2)	(3)	(4)
$\text{Coal\_Share}_{s,1976} \times \text{Current\_Coal\_Price}_{-s,t}$	-0.088* (0.048)	-0.082 (0.051)	-0.035** (0.017)	-0.034* (0.018)
$\text{Natural\_Gas\_Share}_{s,1976} \times \text{Current\_Gas\_Price}_{-s,t}$	0.037*** (0.013)	0.046*** (0.012)	0.012*** (0.004)	0.005 (0.004)
$\text{Petroleum\_Share}_{s,1976} \times \text{Current\_Petroleum\_Price}_{-s,t}$	0.008 (0.013)	0.013 (0.012)	-0.010*** (0.002)	-0.009*** (0.003)
$\text{Coal\_Share}_{s,1976} \times \text{Initial\_Coal\_Price}_{-s,t_0}$	0.178*** (0.041)	0.171*** (0.044)	0.037* (0.022)	0.041* (0.025)
$\text{Natural\_Gas\_Share}_{s,1976} \times \text{Initial\_Gas\_Price}_{-s,t_0}$	-0.018 (0.017)	-0.011 (0.017)	0.006* (0.004)	0.011*** (0.004)
$\text{Petroleum\_Share}_{s,1976} \times \text{Initial\_Petroleum\_Price}_{-s,t_0}$	0.035*** (0.008)	0.035*** (0.011)	-0.005 (0.005)	-0.002 (0.006)
N	1294000	955000	1294000	955000
Industry $\times$ Year $\times$ Entry Year Fixed Effects	Yes	Yes	Yes	Yes
Industry $\times$ State Fixed Effects	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* This table shows the effects of initial and contemporaneous coal, natural gas, and petroleum prices on the log of plants' productivities. Electricity prices are measured in dollars per kWh, energy productivity is the productivity of electricity relative to labor, and total factor productivity is the productivity common to all manufacturing inputs. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Fuel prices are calculated as the leave-out-mean log price across states and weighted by the share of each fuel in electricity generation in each state. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table 5: Effects of Initial and Current Electricity Prices on Productivity

	$\log(\text{Energy\_Productivity}_{i,t})$	$\log(\text{Energy\_Productivity}_{i,t})$ Elec-Intensive Industries	$\log(TFP_{i,t})$	$\log(TFP_{i,t})$ Elec-Intensive Industries
	(1)	(2)	(3)	(4)
Panel A: OLS				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.881*** (0.023)	0.860*** (0.020)	0.060*** (0.007)	0.060*** (0.009)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.080*** (0.019)	0.093*** (0.023)	-0.037*** (0.008)	-0.047*** (0.012)
Panel B: IV				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.525*** (0.138)	0.673*** (0.139)	0.088 (0.127)	-0.017 (0.119)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.349*** (0.122)	0.319*** (0.126)	0.049 (0.077)	0.124 (0.083)
K-P $F$ stat	12.1	11.9	12.1	11.9
N	1294000	955000	1294000	955000
Industry $\times$ Year $\times$ Entry Year FE	Yes	Yes	Yes	Yes
Industry $\times$ State FE	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* This table shows the effects of initial and contemporaneous log electricity prices on the log of plants' energy productivity relative to labor productivity and on the log of plants' total factor productivity. Models in Panel A are estimated using OLS and models in Panel B are estimated using IV. In IV models, electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation. Electricity prices are measured in dollars per kWh, energy productivity is the productivity of electricity relative to labor, and total factor productivity is the productivity common to all manufacturing inputs. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table 6: Heterogeneous Effects of Initial Electricity Prices on Energy Intensity and Productivity, by Plant Age

	$\log(\text{Electricity\_Intensity}_{i,t})$	$\log(\text{CO}_2\text{-Intensity}_{i,t})$	$\log(\text{BTU\_Intensity}_{i,t})$	$\log(\text{Energy\_Productivity}_{i,t})$	$\log(\text{TFP}_{i,t})$
	(1)	(2)	(3)	(4)	(5)
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.871*** (0.061)	-1.136*** (0.097)	-0.903*** (0.069)	0.739*** (0.131)	0.109 (0.096)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.134** (0.052)	-0.140** (0.061)	-0.076 (0.054)	0.250* (0.130)	0.097 (0.095)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \text{Age}_{i,t}$	0.006** (0.003)	0.006 (0.004)	0.004 (0.004)	-0.006 (0.007)	-0.010*** (0.003)
K-P $F$ stat	13.3	13.3	13.3	13.3	13.3
N	1294000	1294000	1294000	1294000	1294000
Industry $\times$ Year $\times$ Entry Year FE	Yes	Yes	Yes	Yes	Yes
Industry $\times$ State FE	Yes	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* All models are estimated using IV. Electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation, and initial electricity prices  $\times$  plant age is instrumented using the interaction of the initial weighted fuel prices times age. Electricity prices are measured in dollars per kWh, electricity intensity is kWh per dollar of revenue, CO2 intensity is kg CO2 per dollar of revenue, BTU intensity is BTU per dollar of revenue, energy productivity is the productivity of electricity relative to labor, total factor productivity is the productivity common to all manufacturing inputs, and plant age is measured in years since entry. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

# Online Appendix

## A Model Details and Extensions

This appendix extends the conceptual framework in Section 3. First, we derive comparative statics predictions underlying the responses of energy intensity to energy price changes and illustrate the mechanisms through which lock-in arises. Second, we extend the two-period model in the main text to show that the same intuitions carry over to a richer multi-period model under a range of assumptions about plant expectations of future energy prices.

### A.1 Comparative Statics

In this section, we present detailed results for comparative statics in the model of lock-in from Section 3. We show how energy intensity for entrants and incumbents respond differently to changes in energy prices, and that the differences can be explained by the capital adjustment cost and selection on productivity channels that give rise to lock-in.

#### A.1.1 Comparative Statics for New Entrants

We begin by estimating the response of an entrant's energy intensity to a change in energy price in a given year. A potential entrant draws productivity shocks  $\omega_i^H$  and  $\omega_i^E$  independently from distributions with densities  $g^H(\cdot)$  and  $g^E(\cdot)$ , respectively, and observes prices of output, labor and energy,  $p^Y$ ,  $w$  and  $p^E$ , as well as a rental rate of capital  $r$ . The potential entrant chooses inputs of capital  $K$ , labor  $L$ , and energy  $E$  to maximize profits:

$$\max_{K,L,E} \pi(K, L, E; \omega_i^H, \omega_i^E) = p_Y \omega_H (K^\rho + L^\rho + (\omega_E E)^\rho)^{\frac{\nu}{\rho}} - rK - wL - p_E E$$

The potential entrant chooses to enter if profits exceed the fixed costs of entry, that is if:

$$\pi^*(p, w, r, p_E; \omega_i^H, \omega_i^E) = p_Y \omega_H ((K^*)^\rho + (L^*)^\rho + (\omega_E E^*)^\rho)^{\frac{\nu}{\rho}} - wL^* - rK^* - p_E E^* \geq F$$

In this expression,  $L^*$  and  $E^*$  are labor and energy inputs, respectively, that solve the static profit maximization problem and  $F$  is the fixed entry cost. We assume that the capital stock  $K^*$  is fully flexible on entry, subject to a linear capital rental rate  $r$ .

To obtain the optimal energy intensity of production, we solve for the conditional factor demand from the cost minimization problem:

$$\mathcal{L}(K, L, E, \lambda) = rK + wL + p_E E + \lambda(Y - \omega_H (K^\rho + L^\rho + (\omega_E E)^\rho)^{\frac{\nu}{\rho}})$$

We obtain the conditional energy demand:

$$E^* = Y^{\frac{1}{\nu}} \omega_H^{-\frac{1}{\nu}} \omega_E^{-1} \left( \frac{p_E}{\omega_E} \right)^{\frac{-1}{1-\rho}} \left( r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}} + \left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}} \right)^{\frac{-1}{\rho}}$$

Dividing through by output  $Y$  provides a closed-form for energy intensity as a function of input prices, productivity shocks, and the output level:

$$\frac{E^*}{Y} = Y^{\frac{1}{\nu}-1} \omega_H^{-\frac{1}{\nu}} \omega_E^{-1} \left( \frac{p_E}{\omega_E} \right)^{\frac{-1}{1-\rho}} \left( r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}} + \left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}} \right)^{\frac{-1}{\rho}}$$

First, we can show that plants facing higher energy prices will be less energy intensive. Using the expression for energy intensity above, the elasticity of energy intensity with respect to price is:

$$e_{\frac{E}{Y}, p_E} = \left( \frac{-1}{1-\rho} \right) \left( \frac{r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}}}{r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}} + \left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}}} \right)$$

We must have that substitution  $\rho < 1$  while prices and productivity shocks are positive, and so  $e_{\frac{E}{Y}, p_E} < 0$ .

Second, we can show that plants with higher energy productivity draws will be less energy intensive if inputs are sufficiently complementary. Following the approach to derive the price elasticity, we obtain an expression for the elasticity of energy intensity with respect to energy productivity:

$$e_{\frac{E}{Y}, \omega_E} = \frac{-1}{\rho-1} \left( \rho + \left( \frac{p_E}{\omega_E} \right)^{\frac{\rho}{\rho-1}} \left( w^{\frac{\rho}{\rho-1}} + r^{\frac{\rho}{\rho-1}} + p_E^{\frac{\rho}{\rho-1}} \omega_E^{-\frac{\rho}{\rho-1}} \right)^{-1} \right)$$

Again,  $\rho < 1$  and prices and productivity shocks are positive. This elasticity of energy intensity with respect to energy productivity is negative if the complementarity between energy and other inputs, as captured by  $\rho$ , is sufficiently high. That is, we have  $e_{\bar{Y}, \omega_E}^E < 0$  if:

$$-\rho > \frac{\left(\frac{p_E}{\omega_E}\right)^{\frac{\rho}{\rho-1}}}{\left(w^{\frac{\rho}{\rho-1}} + r^{\frac{\rho}{\rho-1}} + \left(\frac{p_E}{\omega_E}\right)^{\frac{\rho}{\rho-1}}\right)}$$

Since the right-hand side of the above inequality must be less than one and we estimate  $\rho \approx -3$ , this is the relevant case in our paper (Appendix Table A.5).<sup>37</sup>

In addition to changing the energy intensity of entrants, changing energy prices also changes the threshold level of productivity of the marginal entrant. The elasticities above describe how potential entrants facing different initial prices or energy productivity shocks will choose different optimal energy intensities conditional on entry. At the industry level, there is an additional response to changes in energy prices because of plants' decision to select into entry. This cohort-level elasticity of energy intensity for entrants,  $\bar{e}_{\bar{Y}, p_E}^E$ , will be weakly smaller in absolute value than the plant-level elasticity  $e_{Y, p_E}^E$ , because an increase in energy prices will increase the threshold value of  $\omega_E$  needed for profits to exceed the fixed costs of entry in the first place. The change in cohort-level energy productivity depends on the distribution of  $\omega_E$  among potential entrants, but an increase in the entry threshold, below which plants do not enter, must (weakly) increase the average energy productivity among entrants and (when inputs are complementary) decrease the average energy intensity. We can see this by considering the elasticity of the marginal entrant:

$$e_{\bar{Y}, p_E}^E = \left(\frac{-1}{1-\rho}\right) \left( \frac{w^{\frac{-\rho}{1-\rho}} + r^{\frac{-\rho}{1-\rho}}}{r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}} + \left(\frac{p_E}{\omega_E}\right)^{\frac{-\rho}{1-\rho}}} \right) + \left(\frac{-1}{1-\rho}\right) \times \frac{d\omega_E}{dp_E} \times \frac{p_E}{\omega_E} \times \left( \frac{\left(\frac{p_E}{\omega_E}\right)^{\frac{-\rho}{1-\rho}}}{r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}} + \left(\frac{p_E}{\omega_E}\right)^{\frac{-\rho}{1-\rho}}} - \rho \right) \quad (8)$$

In this expression, the first term is the direct effect of the price change on the input mix and the second term is the selection effect. If energy prices increase, then potential entrants must have

---

<sup>37</sup>As  $\rho \rightarrow -\infty$ , the CES production function approaches the Leontief production function, where the optimal input mix requires  $K = L = \omega_E E$ . Holding output fixed,  $E$  decreases proportionately to an increase in  $\omega_E$ . Thus  $e_{\bar{Y}, \omega_E}^E \rightarrow 1$ . On the other hand, consider the case of perfect substitutes ( $\rho = 1$ ), where the firm demands only the factor with highest marginal product per dollar. If  $\omega_E$  is sufficiently small, the firm will demand no energy. If  $\omega_E$  is sufficiently large, the firm will use only energy inputs. Therefore, energy intensity is (weakly) increasing in  $\omega_E$ .

a higher energy productivity draw  $\omega_E$  for it to be worthwhile to enter. Both of these channels contribute to differences in the elasticities of entrants and incumbents that arise due to lock-in, as we will show.

### A.1.2 Comparative Statics for Incumbents

Unlike entrants, incumbents inherit a capital stock constrained by adjustment costs and an energy productivity determined by entry-year prices. For incumbents, capital stock is fixed in the short run at  $\bar{K}$ , so they face the cost minimization problem with Lagrangian:

$$\mathcal{L}(L, E, \lambda) = wL + p_E E + \lambda(Y - \omega_H (\bar{K}^\rho + L^\rho + (\omega_E E)^\rho)^{\frac{\nu}{\rho}})$$

As before, we obtain the conditional factor demand:

$$E^* = \left( \left( \frac{Y}{\omega_H} \right)^{\frac{\rho}{\nu}} - \bar{K}^\rho \right)^{\frac{1}{\rho}} \left( \omega_E^{\frac{1}{1-\rho}} \right) \left( \left( \frac{w}{p_E} \right)^{\frac{1}{\rho-1}} + \omega_E^{\frac{1}{\rho-1}} \right)^{\frac{-1}{\rho}}$$

The elasticity of energy intensity with respect to  $p_E$  is:

$$e_{\frac{E}{Y}, p_E} = \left( \frac{-1}{1-\rho} \right) \left( \frac{w^{\frac{-\rho}{1-\rho}}}{w^{\frac{-\rho}{1-\rho}} + \left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}}} \right) \quad (9)$$

Because  $\rho < 1$  and prices and productivity are positive, energy intensity for incumbents is decreasing in energy prices  $p_E$  as for entrants.

### A.1.3 Comparing Entrants and Incumbents

Using the results derived above, we can show that there are two reasons why the elasticities of entrants and incumbents differ, which correspond to the two lock-in mechanisms that we analyze in Section 3. The first channel is capital adjustment costs: entry-year energy prices determine the initial choice of capital, which is then costly to adjust. The second channel is due to the selection effect on productivity: marginal entrants at higher prices have a higher energy productivity, leading to a higher average productivity and, by extension, lower average energy intensity for the cohort.

More specifically, using (8) and (9) we can write the difference between the elasticities of an incumbent and the marginal entrant as:

$$e_{\frac{Y}{E}, p_E}^I - e_{\frac{Y}{E}, p_E}^E = \left( \frac{-1}{1-\rho} \right) \left( \frac{w^{\frac{-\rho}{1-\rho}}}{w^{\frac{-\rho}{1-\rho}} + \left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}}} - \frac{w^{\frac{-\rho}{1-\rho}} + r^{\frac{-\rho}{1-\rho}}}{r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}} + \left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}}} \right) +$$

$$\left( \frac{1}{1-\rho} \right) \times \frac{d\omega_E}{dp_E} \times \frac{p_E}{\omega_E} \times \left( \frac{\left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}}}{r^{\frac{-\rho}{1-\rho}} + w^{\frac{-\rho}{1-\rho}} + \left( \frac{p_E}{\omega_E} \right)^{\frac{-\rho}{1-\rho}}} - \rho \right)$$

The first term on the right-hand side is the capital adjustment cost effect and it is unambiguously positive. This wedge arises because entrants can fully flexibly adjust their capital stock in response to energy price changes while incumbents cannot. The second term is the selection effect and it is unambiguously positive for complements (i.e.,  $\rho < 0$ ). This second part of the wedge comes from the productivity improvements for marginal entrants entering at higher energy prices.

## A.2 Multi-period Model Under Alternative Energy Price Expectations

This section extends the two-period model of myopic plants in Section 3 to include many periods and alternative expectations about the time path of future energy prices. The results show that the presence of lock-in does not depend on a particular model of plants' expectations about future energy prices. We illustrate the effects of entry-year energy prices on energy intensity in subsequent years under two polar assumptions about plants' expectations about future price changes. In the first scenario, energy price changes are completely unanticipated, in the sense that plants believe that current prices will persist forever. In the second case, potential entrants have complete knowledge of future prices. We find that lock-in arises even in this second, perfect foresight case, because plants discount future price changes relative to current ones in their investment decisions.

As in the model in Section 3, in the multi-period model plants produce output  $Y$  using a CES production function combining capital  $K$ , labor  $L$ , and energy  $E$  according to:

$$Y(K, L, E; \omega_H, \omega_E) = \omega_H (K^\rho + L^\rho + (\omega_E E)^\rho)^{\frac{\gamma}{\rho}} \quad (10)$$

where  $\omega_H$  is total factor productivity,  $\omega_E$  is energy-specific productivity,  $\rho$  is the substitution parameter, and  $\nu$  captures returns to scale. In what follows, we assume without loss of generality that total factor productivity  $\omega_H$ , the output price  $p$ , and the wage  $w$  are constant and suppress them in the notation.

In the dynamic multi-period model, plants maximize the expected present discounted value of future profits, denoted by  $V$ , rather than profits  $\pi$ . Otherwise, the plants' problems are identical in the multi-period and two-period models. Here, in each period, plants choose inputs to maximize expected present discounted profits:

$$V(K, p_E, \omega_E) = \max_{K'} \tilde{\pi}(K; p_E; \omega_E) - C(K' - K) + \beta \mathbb{E}[V(K', p_E', \omega_E) | p_E] \quad (11)$$

where  $\beta$  is the discount rate and  $\tilde{\pi}$  is the solution to the standard static profit maximization problem where static inputs (i.e., labor and energy) are chosen optimally:

$$\max_{L, E} Y(K, L, E; \omega_H, \omega_E) - p^E E - wL$$

As before, labor and energy are static inputs and capital is a dynamic input with a one-period time-to-build that evolves according to  $K' = (1 - \delta)K + I$ . Capital adjustment costs  $C(K' - K)$  have fixed, constant, and convex components, denoted respectively by  $\gamma_0$ ,  $\gamma_1$ , and  $\gamma_2$ . That is, the cost of investing an amount  $I = K' - K$  is:

$$C(I) = 1[I > 0] \times (\gamma_0 + \gamma_1 I + \gamma_2 I^2)$$

In each period, potential entrants draw an energy productivity shock  $\omega_E$  and observe initial energy prices  $p_E$ . Entrants do not pay fixed or convex capital adjustment costs, choosing capital to maximize  $V_0$ , the expected present discounted value of profits if they enter:

$$V_0(p_E, \omega_E) = \max_K \tilde{\pi}(K; p_E; \omega_E) - \gamma_1 K + \beta \mathbb{E}[V(K, p_E', \omega_E) | p_E]$$

Plants will enter if expected present discounted profits resulting from entry exceed the fixed costs

of entry,  $F$ . That is, plants enter if  $V_0(p_E, \omega_E) > F$ .

Incumbent plants retain their initial productivity draw and capital stock, observe current prices, and choose inputs to solve:

$$V(K, p_E, \omega_E) = \max_{K'} \tilde{\pi}(K; p_E; \omega_E) - C(K' - K) + \beta \mathbb{E}[V(K, p'_E, \omega_E) | p_E]$$

Incumbent plants will exit if the scrap value of their capital is greater than their expected future profits, so that  $V(K, p_E, \omega^E) < \gamma_1 K$ .

In the numerical example, we solve the model assuming, first, that energy price changes come as a surprise to plants and, second, that energy price changes are perfectly anticipated. We suppose that the price of energy changes from  $p_E$  to  $p'_E$  in the second period and model plants' beliefs about this price change as:

$$Pr(p'_E = 1) = \lambda$$

$$Pr(p'_E = p_E) = 1 - \lambda$$

Normalizing  $p'_E = 1$  in the second period,  $\lambda = 0$  then corresponds to perfect surprise and  $\lambda = 1$  to perfect foresight.

We analyze the same three capital adjustment cost structures as in Section 3. The extreme cases bound the role of capital adjustment costs in creating technology lock-in: fixed capital, with infinite fixed capital adjustment costs  $\gamma_0$ , and flexible capital, with no fixed or convex adjustment costs (i.e.,  $\gamma_0 = \gamma_2 = 0$ ). In the third, more realistic scenario, we allow partial capital adjustment, with fixed, constant, and convex adjustment costs parameterized as  $\gamma_0 = 0.08$ ,  $\gamma_1 = 1$ , and  $\gamma_2 = 0.02$ , respectively. We draw energy productivity  $\omega^E$  from a uniform distribution  $U[0.25, 8]$  and we set total factor productivity  $\omega^H = 3$ , returns to scale  $\nu = 0.9$ , and substitution parameter  $\nu = -3$  (i.e., complements) for all plants. These parameters are quantitatively similar to our estimates in the data. In addition, we set the depreciation rate equal to zero and fixed entry cost equal to 5.<sup>38</sup> When plants perfectly foresee future prices, the magnitude of lock-in depends on the discount

---

<sup>38</sup>With both depreciation and fixed costs of capital adjustment, equilibrium output cycles even with constant prices as capital stocks decrease until falling sufficiently far from optimal that reinvestment is triggered.

rate. Entrants with a higher discount rate  $\beta$  will anticipate capital adjustment frictions and choose their initial input mix to better match future prices. Because manufacturing plants generally make capital investment decisions over 5-10 year time horizons, we show the results with  $\beta = 0.6 \approx 0.95^{10}$  and  $\beta = 0.8 \approx 0.95^5$ .

Appendix Figure A.1 shows the results of these model simulations, highlighting that technology lock-in arises even if plants have perfect foresight about future energy price changes (Panel A). In a parallel manner with Section 3, the three downward-sloping lines show the relative energy intensity of incumbents compared with entrants under three different assumptions about the structure of capital adjustment costs: fixed capital (blue, long dashed line), partial capital adjustment with fixed and convex costs (orange, short-dashed line), and flexible capital with no fixed or convex costs (green, solid line). In all instances, entry-year energy prices are important determinants of relative energy intensity: for moderate price changes, the average incumbent that entered at a low energy price is more energy-intensive than the average new entrant. For sufficiently large price changes, the least efficient plants are driven from the market. The remaining incumbents have higher energy-productivity and a lower energy-intensity of output. This selection effect can overcome the lock-in effect and show up as a non-monotonic relationship between incumbents' energy intensity and the relative price of energy today and at entry.<sup>39</sup> As in Section 3, the difference between incumbents plants capable only of partial capital adjustment (i.e., the orange, short-dashed line) and fully flexible incumbent plants (i.e., the green, solid line) measures the contribution of capital adjustment costs to creating lock-in. Incumbents with higher discount rates, shown on the right, have a smaller lock-in effect than incumbents with lower discount rates, shown on the left.

Panel B shows that lock-in is larger in the case of unanticipated future price shocks: in comparison to the perfect foresight model, the difference between the average energy intensity of incumbents and new entrants is larger for moderate relative price changes than in the perfect foresight case. For large price changes, incumbents with low energy productivity exit the market in droves, leading to lower average energy intensity of remaining plants compared with entrants. This effect is more pronounced than in the case of perfect foresight since many of these plants would not have entered

---

<sup>39</sup>This non-monotonicity especially dramatic in the unanticipated case shown in Panel B because the unanticipated future price shock leads many plants to enter and then exit in the second period. It is absent in the other illustrative two-period model in Section 3 because all plants close at the end of two periods.

had they been able to foresee the price change initially. The distance between the fully flexible incumbent plants and incumbent plants capable only of partial capital adjustment shows that the exit of incumbents in response to large price changes is driven by capital adjustment costs. As in the perfect foresight case, lock-in is less severe for firms with a higher discount rate, but the mechanism is slightly different. Because more patient firms value future profits more, fixed costs of entry are relatively less important. This implies that the minimum energy productivity threshold is lower for firms with higher discount rates, and therefore the average entrant will have lower energy productivity. These lower-productivity firms exit faster when prices unexpectedly rise, which leads to a selection effect that attenuates lock-in at the cohort level. These results underscore that our estimated effects of prices on average energy intensity may be lower bounds on the lock-in effect.

We conclude this section with a brief discussion of how insights from this highly stylized example carry over into more general models. For capital adjustment frictions to generate technology lock-in, it is sufficient that capital and energy are complements in production. The intuition is that an increase in energy prices lowers the marginal product per dollar of energy, so that plants' optimal energy usage falls. If capital and energy are complements, this decreases the marginal product per dollar of capital and, by extension, the optimal capital stock. If capital can optimally adjust, this drives further decreases energy inputs. Incomplete capital adjustment will attenuate the reduction in energy use, resulting in higher energy intensity than for a fully flexible plant. If capital and energy are substitutes in production instead, this logic would be reversed and capital adjustment costs would increase plants' sensitivity to current price changes. Existing literature typically finds that capital and energy are complements, consistent with our estimates in Section 5.2 ([Hassler et al., 2012](#); [Ryan, 2018](#)).

For energy productivity differences to create lock-in, we require only selection on productivity at entry and persistence of initial productivity over time. Partial irreversibility of entry costs or capital investments is one natural way to generate more intense selection for entrants than incumbents. Large exit subsidies or buyouts for low energy productivity incumbents might result in a higher productivity threshold for exit than for entry, which would result in the opposite sign for our estimated entry-year energy price elasticities.

## B Data

This section provides details on data sources and construction of the primary variables.

We impose several sample restrictions on the measures of firms’ inputs and outputs in the ASM and CMF to reduce measurement error. These restrictions closely follow those imposed in other papers using the ASM and CMF (e.g., [Ganapati et al., 2020](#)). First, we drop observations for which electricity prices, electricity intensity, capital investment, revenue, labor costs, materials costs, electricity expenditures, or raw fuels expenditures are missing or negative. Second, we exclude observations for which electricity prices, revenue, labor costs, materials costs, or electricity expenditures are equal to 0. Third, we exclude imputed administrative records. Fourth, since some observations still appear to be errors, we drop outliers that have capital stocks, revenue, labor costs, materials costs, electricity expenditures, or raw fuels expenditures that exceed 100 times the 99th percentile of the distribution of these variables. Finally, we exclude observations with electricity prices that are more than ten times or less than one-tenth of the annual median price.

We calculate annual plant-level electricity prices using plants’ reported electricity expenditures and purchased quantities from the ASM and CMF, but we do not always observe plants’ initial energy prices since only a subset of plants are surveyed in their year of entry. We match plants to their own initial electricity prices using unique plant identifiers where possible. If a plant is not observed in its first year of operations, then we impute its initial electricity price using the average of entrants in the same year, state, and six-digit NAICS industry. For a small number of plants, we use the average of entrants in the same year and state since there are no other entrants in the same industry in the plants’ state and year. We also use these year  $\times$  state  $\times$  industry (or alternatively year  $\times$  state) electricity prices to define the electricity prices in the year before a plant enters because we don’t have plant-level electricity prices available before a plant opens. We consider that a plant opens during a period of increasing electricity prices if the state average electricity price in its entry year is greater than in the year prior to its entry.

We use the MECS and ASM Fuels Trailers to calculate measures of energy intensity of production that include other energy sources in addition to electricity. The ASM and CMF include information on total expenditures on raw fuels, but don’t include information on how these costs are split

between fuels or what quantities are consumed of each. This breakdown is available in the MECS every three years 1985-1994 and every four years 1994-2014 and in the ASM Fuels Trailers for the years 1976-1981. In these surveys, we convert quantities of raw fuels consumed to British thermal units (BTU) using conversion factors from the EIA and to CO<sub>2</sub> using data from the EIA where possible and from the EPA for crude oil, biomass, blast furnace gas, coke oven gas, waste gas, and acetylene. We calculate the industry  $\times$  year BTU and CO<sub>2</sub> consumed per dollar of raw fuels expenditure, weighting by the survey weights provided. Expenditures on raw fuels are deflated to 2011 dollars using the industry’s annual average energy deflator from the NBER-CES Productivity Database. We exclude fuels used as feedstocks and process emissions in these calculations (Lyubich et al., 2018). We also exclude “by product” fuels that aren’t associated with well-defined CO<sub>2</sub> and BTU conversion factors.

We use these industry average measures of energy consumed per dollar of energy expenditures to calculate the total BTU and CO<sub>2</sub> implied by each plant’s raw fuels expenditures in the ASM and the CMF. To do so, we merge the raw fuels coefficients with the ASM and CMF, and linearly interpolate the coefficients in the missing years separately for each industry. We replace resulting negative coefficients by 0 for 1% of observations; in these cases, all energy consumed comes from electricity. We then calculate the BTU and CO<sub>2</sub> embodied in raw fuels as the annual industry average energy coefficient times expenditure on raw fuels in the ASM and CMF, and we calculate the BTU and CO<sub>2</sub> embodied in electricity consumption at the plant level using quantities reported in the ASM and MECS. The conversion factors for mWh of electricity to BTU comes from the EIA and the conversion factors for mWh to kg of CO<sub>2</sub> come from the EPA’s eGRID, which includes separate emissions factors by state that consider the energy mix of each state’s electricity grid.

These estimates of BTU and CO<sub>2</sub> embodied in energy inputs allow us to calculate measures of BTU and CO<sub>2</sub> per dollar of revenue; these alternative measures of energy intensity complement our use of electricity consumed per dollar of revenue in the regression analysis. Since some observations are obvious outliers, we trim the BTU and CO<sub>2</sub> intensities that exceed the 99th percentile of the distribution of values. Our energy intensities are comparable to estimates in the literature. For example, the average CO<sub>2</sub> intensity of manufacturing that we calculate is within 15% of estimates from Lyubich et al. (2018) using the same MECS year. Once we account for excluded “by product”

fuels, our estimates of electricity as a share of total thermal energy consumed are also comparable to industry averages (DOE, 2006).

A final note about this imputation process is that the ASM Fuels Trailers include substantially less detail than the MECS. Raw fuels are presented at much higher levels of aggregation (e.g., aggregate coal consumption, rather than consumption of different types of coal) and several fuels are grouped into an “others” category, which we exclude. We therefore present results in Appendix Tables A.7 and A.8 using only the MECS to impute energy consumption from raw fuels and results using both the MECS and ASM Fuels Trailers. We find very similar results using both approaches.

## C Imputation of Missing Capital Stocks

Capital stocks are a necessary input into the production function estimation, but unlike other inputs are not measured every year. Capital stocks are measured in the CMF in years ending in 2 or 7, and capital investment is measured in both the CMF and, in the intervening years, in the ASM. To obtain estimates of capital stocks in all years, we first calibrate the depreciation rate  $\delta$  using plants which we observe every year between Censuses. Approximately 12,000 plants are surveyed in the ASM every year between the two most recent Censuses in our sample period (i.e., 2002 and 2007). We iteratively apply the law of motion of capital  $K_{i,t+1} = (1 - \delta)K_{i,t} + I_{i,t}$  to back out the depreciation rate implied by beginning capital stock  $K_{i,t}$  and ending capital stocks  $K_{i,t+1}$  and intervening path of investment  $I_{i,t}$ . Specifically, for each plant  $i$  we solve:

$$K_{2007} = (1 - \delta)^5 K_{2002} + (1 - \delta)^4 I_{2002} + (1 - \delta)^3 I_{2003} + (1 - \delta)^2 I_{2004} + (1 - \delta) I_{2005} + I_{2006} \quad (12)$$

We calculate an average depreciation rate of 8% across all plants.

We then use this depreciation rate to recursively calculate capital stocks in the years between Censuses using the law of motion of capital combined with observed investment in the ASM. Specifically, for plants surveyed in the years before and after a Census, we obtain their capital stock using investment from the ASM in those years combined with depreciation. We recursively apply the same approach to plants observed two years before and after a Census. A small number of capital

stocks are still missing after applying this procedure. We predict these values using the interaction of (log) total value of shipments with six digit NAICS industry codes. Our results are robust to excluding these observations as well.

## D Bartik Instruments and Identification

This section comprises a more detailed discussion of testing the validity of the identifying assumption underlying our Bartik-style shift-share instruments.

As Section 5 describes, our instrumental variables analysis uses an exposure design that isolates plausibly exogenous variation in electricity prices using states’ differential exposure to national changes in the prices of raw fuels (e.g., coal, natural gas, petroleum), where the weights are the shares of electricity generated using each of these fuels. Goldsmith-Pinkham et al. (2020) show that such a research design requires exogeneity of the shares for the identifying assumption to hold because the Bartik instrument is numerically equivalent to a GMM estimator using shares as instruments. As a consequence, our identifying assumption in equation (4) is valid if the state fuel generation shares are uncorrelated with shocks leading to changes in the energy intensity outcomes.

The potential concern in our setting is centered on whether state fuel generation shares might be correlated with other shocks to plants’ input mix that affect energy intensity directly, rather than through electricity prices. For example, if fuel generation shares are correlated with the availability of skilled labor, then we might be concerned that the instruments are correlated with unobserved shocks to labor inputs, and thus that the identifying assumption (4) would be violated.

We assess the validity of our research design by analyzing whether state characteristics that could be correlated with other input shocks also predict state fuel generation shares (Goldsmith-Pinkham et al., 2020). Appendix Table A.4 reports the results from regressing the shares of electricity generated using coal, natural gas, and petroleum on state characteristics plausibly related to input availability (e.g., unemployment rate, share college educated) and output demand (e.g., mean household income). Reassuringly, this now standard test yields no systematic correlation between the shares and these characteristics, which supports the validity of the research design.<sup>40</sup>

---

<sup>40</sup>We report what we consider more conservative estimates of the significance of these correlations that do not

Though average input prices will affect electricity prices, an alternative instrument could replace the current weights in our instrument based on the shares of electricity generated from different fossil fuels with the proportion of the year that any given fuel is marginal; in this reweighted instrument, state exposure to national fossil fuel prices would then be determined by the relative contribution of different fuels to marginal generation, rather than the share of total generation. Data on marginal fuels are reported at the regional transmission network level that typically comprise several states, and different fuels might be marginal at different times of day, or within the same five-minute interval; the marginal fuel is determined by a combination of load and relative fuel prices, making these alternative weights endogenous to demand in our regressions ([Holland et al., 2022](#)).

## E Production Function Estimation

This section provides additional details about the estimation of energy-augmenting productivity  $\omega_{it}^E$  and total factor productivity  $\omega_{it}^H$ . As in [Akerberg et al. \(2015\)](#), estimation proceeds based on moment conditions formed by the evolution of these two productivity shocks. We assume that both productivity shocks follow AR(1) processes:

$$\omega_{it}^H = \alpha_H + \beta_H \omega_{it-1}^H + \xi_{it}^H$$

$$\omega_{it}^E = \alpha_E + \beta_E \omega_{it-1}^E + \xi_{it}^E$$

where the productivity shocks  $\xi_{it}^H$  and  $\xi_{it}^E$  are unknown by plants at time  $t - 1$ , and therefore uncorrelated with lagged inputs.

We estimate the model separately for each industry as follows. First, we take candidate parameters of the production technology,  $\hat{\theta} = (\sigma, \nu, \beta_K)$ , for each four-digit NAICS industry and use this initial guess to recover the productivities  $\omega_{it}^H, \omega_{it}^E$  from each plant's input choices in each year. Second, we estimate the parameters of the AR(1) processes by ordinary least squares to obtain the

---

adjust for the multiple hypotheses that we are testing.

productivity innovations  $\xi_{it}^H$  and  $\xi_{it}^E$ . Third, we form moments based on these innovations:

$$\mathbb{E}[\xi_{it}^H Z_{it}] = 0$$

$$\mathbb{E}[\xi_{it}^E Z_{it}] = 0$$

where  $Z_{it}$  are a set of instruments. The timing of decisions and the Markov structure for productivity shocks imply that all past input choices are uncorrelated with the productivity innovations  $\xi_{it}^H$  and  $\xi_{it}^E$ , allowing us to use lagged (log) inputs,  $l_{it-1}$ ,  $e_{it-1}$ , and  $k_{it-1}$ , and lagged wage and electricity prices,  $w_{it-1}$  and  $p_{it-1}^E$  as instruments. This forms a total of 10 moments, collected in the vector  $g(X_j, \theta)$ , where  $j$  flattens the time and plant indices. These lagged-input instruments, and the identifying assumption that past inputs and prices are determined before and do not affect the unanticipated innovations to productivity, are standard in the production function literature ([Akerberg et al., 2015](#); [Doraszelski and Jaumandreu, 2018](#); [Olley and Pakes, 1996](#)).

Finally, we obtain estimates  $\hat{\theta}$  and standard errors using the two-step generalized method of moments (GMM) estimator ([Hansen, 1982](#)). We minimize the objective function:

$$C(\theta, \cdot) = \left( \frac{1}{N} \sum_{j=1}^N g(X_j, \theta) \right)' \hat{W} \left( \frac{1}{N} \sum_{j=1}^N g(X_j, \theta) \right)$$

where  $g(X_j, \theta)$  are 10x1 vectors defined above and the weight matrix  $\hat{W}$  is the inverse covariance matrix obtained using the initial parameters  $\hat{\theta}_0$  from the minimization of the objective function using the identity matrix as the weight matrix.

## F Robustness of Instrumental Variables Analysis

### F.1 Energy Intensity

Appendix Table [A.7](#) shows that the sign, magnitude, and precision of the main estimates are robust to the use of different covariates, weightings, and data subsamples. For comparison, Panel A reproduces the main estimates of lock-in based on equation (2) and shown in Table [3](#).

Panels B, C, and D show that both initial and current electricity prices elasticities are robust to the use of different covariates. Panel B presents results that are almost identical using higher-level fixed effects, which suggests that variation at the year  $\times$  first year  $\times$  industry level does not confound the estimates. Panel C includes state  $\times$  year time trends, which allow for differential energy efficiency trends by state over time. The results again are comparable, with a small increase in the magnitude of the point estimates. Panel D includes plant labor hours worked, capital stock, and materials costs as covariates in the regressions to better capture plant characteristics, and finds estimates that are virtually identical to our main ones, though we exclude these plant characteristics from our main regression analysis since they themselves may be outcomes of changes in energy prices.

Panel E presents estimates that are not weighted by the Census sampling weights to create a representative sample. Since the ASM oversamples large plants, these plants are assigned higher weight in these regressions relative to the main estimates. The initial price elasticity falls by approximately one-third, suggesting that lock-in is not just driven by large plants, while the sign and significance are generally unchanged.

Panels F, G, and H show estimates using different subsamples of the data. Panel F linearly interpolates CO2 and BTU values from the MECS only, rather than the MECS and the ASM Fuels Trailers. The MECS contains approximately five times as many energy categories as the ASM Fuel Trailers, but imputing the ASM years using the MECS barely changes the estimated effect of electricity prices on CO2 and BTU intensities at all (Columns 3 and 4). Panel G excludes years in which the ASM Fuels Trailers and the MECS are not collected. This skews the analysis sample toward the early years of the data since the ASM Fuels Trailers were collected every year between 1976 and 1981, while the MECS is subsequently collected every three or four years. The lock-in estimates are larger as a result: the effects of entry-year electricity prices on electricity, CO2, and BTU intensity all increase by approximately one-third. The change in the magnitude of the parameter estimates is the result of the changing time period, rather than the imputation, since the electricity intensities are never imputed. The parameter estimates in Panel H, which include only years where the MECS is collected, skew the data toward later years and are closer to the main estimates.

Panel I uses state-level average current and initial electricity price data from SEDS, rather

than price estimates calculated from the ASM and CMF. In this case, the initial electricity price elasticities are slightly larger but statistically indistinguishable from our main estimates, reflecting the fact that our main measures of initial electricity prices are themselves state  $\times$  industry  $\times$  entry year averages for a majority of plants due to the lack of observed entry years for all. The current electricity price elasticities are smaller, suggesting that plants respond less to the component of prices common to all plants in the state and are more highly responsive to changes in their own price.

## F.2 Productivity

Appendix Table A.8 shows alternative estimates of the effects of initial and current electricity prices on productivity. We analyze the same models as in Appendix Table A.7 using relative energy productivity and total factor productivity as outcome variables, and we find again find results that are consistent with the main estimates in Table 5. We reproduce these results in Panel A of Appendix Table A.8 for comparison.

Panels B, C, and D use different covariates than the models in the main text. We find estimates that are similar in sign, magnitude, and precision to the main estimates using higher level fixed effects (Panel B), using state  $\times$  year time trends (Panel C), and when including plant-level covariates (i.e., labor hours worked, capital stock, and materials costs) (Panel D). The magnitude of contemporaneous electricity prices for relative energy intensity increases slightly with the inclusion of state  $\times$  year trends, suggesting that there may be some differential trends in energy productivity between states, though the estimates are not statistically different from each other. Meanwhile, the entry-year lock-in estimates of the effects of initial electricity prices on electricity intensity are almost entirely unchanged, as are the effects of both initial and contemporaneous prices on total factor productivity.

The estimates in Panel E are unweighted by Census sampling weights. As discussed above, the ASM oversamples large plants; the regression estimates again are similar or, in the case of relative energy productivity, slightly larger, suggesting again that the lock-in estimates are not driven by large plants, or by reweighting.

Panels F, G, and H show estimates using different subsamples of the data. Panel F linearly interpolates CO2 and BTU values from the MECS only, rather than the MECS and the ASM Fuels Trailers. As discussed above, the MECS contains approximately five times as many energy categories as the ASM Fuel Trailers, but imputing the ASM years using the MECS barely changes the estimated effect of electricity prices on CO2 and BTU intensities at all (Columns 3 and 4). Since the relative energy intensity estimates don't use imputed CO2 or BTU values, this sample is equivalent to the main sample for these productivity models, though is different in the case of Appendix Table [A.7](#).

Panel G excludes years in which the ASM Fuels Trailers and the MECS are not collected. This skews the analysis sample toward the early years of the data since the ASM Fuels Trailers were collected every year between 1976 and 1981, while the MECS is subsequently collected every three or four years. The lock-in estimates again are similar in sign, magnitude, and precision, while the importance of contemporaneous electricity prices falls slightly, perhaps as a result of fewer intervening years between the measurement of initial and current prices. This same pattern is evident in Panel H, which excludes ASM Fuel Trailer years from the Panel G sample, though overall the results are quantitatively and qualitatively similar in all models.

Panel I uses state-average electricity prices from SEDS in the place of the price estimates based on the ASM and CMF. The initial electricity price elasticities for the energy productivity outcomes are very similar in sign, magnitude, and precision to the main results. These results make sense given the use of state  $\times$  industry  $\times$  entry year average electricity prices for plants for whom we don't observe entry year electricity prices. The current electricity price elasticities again are smaller and less precisely estimated than the main results, reflecting the fact that the state-level average prices contain substantially less variation than the plant-level current electricity prices. All of the total factor productivity elasticities are very comparable.

## G Electricity Price Effects on Other Manufacturing Outcomes

This section discusses the effects of initial electricity prices on manufacturing outcomes other than energy intensity and energy productivity.

Panel A of Appendix Table A.6 reports the effects of initial electricity prices on the amounts of electricity used, CO<sub>2</sub> produced, and BTU consumed, rather than the more standard intensity amounts measured per dollar of revenue (e.g., Lyubich et al., 2018). These results are similar in sign and magnitude to the main energy intensity estimates, though in some instances are somewhat less precisely estimated. These estimates are again consistent with lock-in: plants use a greater quantity of all of these energy measures when they begin operations in a low energy price year. The magnitudes of the effects on energy quantities can again be explained by the persistent effect on relative productivity, shown in Table 5.

Panel B reports effects on other manufacturing inputs. The effects of initial electricity prices on labor hours, capital outlays, materials costs (excluding energy), and revenues are generally statistically insignificant, with the exception of a weakly positive effect on capital. These findings suggest that while initial electricity prices have important effects on future energy inputs, they have a limited effect on other non-energy inputs. In particular, higher entry-year energy costs appear unlikely to lead to widespread unemployment for plants that continue to operate when energy prices rise, though the effects on employment at plants that potentially fail to open should be an important consideration in a macroeconomic analysis of the counterfactual effects of pricing carbon in a plant's entry year. These findings also suggest that the effects of entry-year energy prices on energy intensity (i.e., energy use per dollar revenue) are driven by the changes in energy use in Panel A, rather than changes in revenue in Panel B: the effect of entry-year electricity prices on revenues is statistically insignificant and the point estimate is less than one-quarter of the magnitude of the effect on energy use levels.

## H Heterogeneous Lock-In Across Industries


Appendix Table A.9 studies how the effects of entry-year electricity prices differ by industry, for eleven major industry groups analyzed by Doraszelski and Jaumandreu (2018). The estimates in this table are based on equation (2) with the addition of a log entry-year electricity price  $\times$  industry dummy, where the industry dummy takes the value 1 if a plant is in the industry specified in each of the panels. The summary statistics in Appendix Table A.2 describes these industry groups in more detail and shows that they differ in their average energy use. We analyze heterogeneous effects on our main energy intensity outcomes (i.e., electricity intensity, CO2 intensity, and BTU intensity) in Columns 1-3 respectively and on relative energy intensity and total factor productivity in Columns 4 and 5.

The main take-away from this analysis is that lock-in is not driven by any one industry group and appears to exist in all of them, though the results are imprecisely estimated. The interaction term in each panel measures the differential effect of entry-year electricity prices on the energy outcomes in the focal industry in each panel. This point estimate is small in general, imprecisely estimated in most instances, and never negates the importance of entry-year electricity prices for determining subsequent energy outcomes. However, the interaction terms are sufficiently imprecisely estimated that a Wald test of the null hypothesis that the sum of the effects of entry-year prices and the interaction between entry-year prices and the industry indicator fails to reject the null of no lock-in for most industries. In no industry do we find meaningful effects on total factor productivity.


# I Figures and Tables

Figure A.1: Simulated Lock-In Under Alternative Plant Expectations

Panel A: Perfect Foresight About Future Energy Price Changes




Panel B: Unanticipated Future Energy Price Changes




*Notes:* This figure shows simulation results for the energy intensity of incumbent manufacturing plants relative to entrants as a function of their entry-year energy price. The x-axis shows initial energy price as a fraction of the current price. Panel A shows energy intensity assuming that plants have perfect foresight regarding future energy price changes. Panel B shows energy intensity assuming that all energy price changes are unanticipated by plants. “Fixed capital” shows relative energy intensity in scenarios where plants cannot adjust their capital stocks after they enter. “Adjustment costs” shows relative energy intensity in scenarios where incumbents can re-optimize their capital stock subject to fixed and convex adjustment costs. “Flexible capital” shows relative energy intensity in scenarios where all inputs can be re-optimized without adjustment costs. Energy intensity of entrants is normalized to 1.

Figure A.2: Time Series of Shares of Fossil Fuels used in Electricity Generation




*Notes:* This figure shows the time series of the fraction of British thermal units (BTU) of electricity generated by coal, natural gas, and petroleum oil in the United States.

Figure A.3: Time Series of Fuel Prices




*Notes:* This figure shows the time series of average coal, natural gas, and petroleum oil prices paid by electric utilities. Prices are in 2011 dollars per million British thermal units (BTU) of fuel.

Figure A.4: Share of Electricity Generated by Coal, Natural Gas, and Petroleum Oil in 1976



*Notes:* This figure shows the fraction of total British thermal units (BTUs) of electricity generated from coal, natural gas, and petroleum oil in each state in 1976. Shares need not add up to 1 due to the presence of other fuel sources (e.g., nuclear, hydro).

Figure A.5: Change in Share of Electricity Generated by Coal, Natural Gas, and Petroleum Oil, 1976-2011



*Notes:* This figure shows the change in the fraction of total British thermal units (BTUs) of electricity generated from coal, natural gas, and petroleum oil in each state between 1976 and 2011.

Table A.1: Summary Statistics

	All Industries (1)	Elec-Intensive Industries (2)
Current Year	1997 (8.595)	1997 (8.540)
Entry Year	1988 (8.894)	1988 (8.760)
Plant Age (years)	9.243 (8.000)	9.297 (7.997)
Current Electricity Price (\$ per kWh)	0.087 (0.036)	0.085 (0.034)
Initial Electricity Price (\$ per kWh)	0.088 (0.032)	0.088 (0.030)
Cost of Purchased Electricity (1000\$)	275.4 (2065)	203.4 (958)
Quantity of Purchased Electricity (1000 kWh)	4411 (51160)	3175 (22430)
Electricity Intensity (kWh per \$ revenue)	0.196 (0.500)	0.208 (0.500)
CO2 Intensity (kg per \$ revenue)	0.122 (0.469)	0.132 (0.519)
BTU Intensity (million BTU per \$ revenue)	0.001 (0.006)	0.002 (0.007)
N	1294000	955000

*Notes:* This table shows variable means for U.S. manufacturing plants. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in USD (2011). Standard errors are in parentheses.

Table A.2: Industry Group Summary Statistics

Industry Group Name (1)	NAICS codes (2)	Electricity Intensity (3)	CO2 Intensity (4)	BTU Intensity (5)	N (6)
Metals and Metal Products	331, 332	0.1683 (0.4004)	0.1055 (0.3244)	0.0012 (0.0050)	254000
Non-Metallic Minerals	324, 327	0.1563 (0.3669)	0.1063 (0.3261)	0.0020 (0.0082)	100000
Chemical Products	325, 326	0.3045 (0.8472)	0.1669 (0.5311)	0.0016 (0.0059)	154000
Agricultural Machinery	333	0.1161 (0.2287)	0.0976 (0.3736)	0.0013 (0.0068)	120000
Electrical Goods	334, 335	0.4902 (2.115)	0.1624 (0.7404)	0.0017 (0.0075)	100000
Transportation Goods	336	0.1299 (0.3192)	0.0812 (0.2612)	0.0009 (0.0040)	64000
Food, Drink, and Tobacco	311, 312	0.1535 (0.3434)	0.0935 (0.3341)	0.0011 (0.0051)	110000
Textile, Leather, and Shoes	313, 314, 315, 316	0.2539 (0.4157)	0.1041 (0.2864)	0.0013 (0.0045)	117000
Timber and Furniture	321	0.1666 (0.3278)	0.2725 (0.9104)	0.0032 (0.0111)	139000
Printing and Paper Products	322, 323	0.1402 (0.2603)	0.0578 (0.1192)	0.0005 (0.0011)	155000
Miscellaneous Manufacturing	339	0.0988 (0.2551)	0.05272 (0.2501)	0.0006 (0.0041)	76000

*Notes:* This table shows average electricity intensity (kWh per dollar revenue), carbon dioxide intensity (kg per dollar revenue), and BTU intensity (million British Thermal Units (BTU) per dollar revenue) for eleven major industry groups. NAICS codes are three-digit North American Industry Classification System codes. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in USD (2011). Standard errors are in parentheses.

Table A.3: Entry and Exit Summary Statistics

	All Industries (1)	Elec. Intensive Industries (2)
Entrant Fraction	0.078 (0.269)	0.077 (0.266)
Exit Fraction	0.004 (0.060)	0.004 (0.060)
Observations per Plant	4.594 (4.765)	4.466 (4.466)
Plant Age	9.243 (8.00)	9.297 (7.997)
Age at Exit	14.960 (9.150)	15.010 (9.142)

*Notes:* This table shows summary means for plant entry and exit behavior. Entry and exit fractions are the shares of total plant-year observations in our sample that are entrants or exiters, respectively. Plant age and age at exit are measured in years. Column 1 shows means across all industries and column 2 shows means for electricity-intensive industries. Observation counts are rounded in accordance with Census disclosure requirements. Standard errors are in parentheses.

Table A.4: Relationship between Fuel Generation Shares and State Characteristics

	Coal Share (1)	Natural Gas Share (2)	Petroleum Share (3)
Unemployment Rate	-0.022 (0.033)	-0.039* (0.022)	-0.001 (0.023)
State Per Capita Income (1000s)	0.005 (0.043)	0.048 (0.029)	0.034 (0.029)
Mean Household Income (1000s)	-0.001 (0.001)	-0.000 (0.001)	0.001 (0.001)
Share Any College Education	-0.030* (0.016)	-0.015 (0.011)	0.007 (0.011)
Share White	0.008 (0.007)	0.001 (0.005)	-0.009* (0.005)
Share Black	0.004 (0.007)	0.003 (0.005)	-0.003 (0.005)
Population (1000s)	-0.004 (0.010)	0.005 (0.007)	0.001 (0.007)
Household Size	0.506 (0.673)	0.517 (0.454)	-0.215 (0.458)
Dep. Var. Mean (1980)	0.45	0.12	0.16
Dep. Var. Mean (1976)	0.40	0.12	0.21
R-square	0.266	0.154	0.443
N	51	51	51

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* This table shows the correlation between state fuel shares in electricity generation and state characteristics in 1980. Standard errors are in parentheses.

Table A.5: Estimated Production Function Parameters

	All Industries (1)	Elec. Intensive Industries (2)
Returns to scale $\nu$	0.620 (0.292)	0.679 (0.256)
Elasticity of substitution $\sigma$	0.260 (0.195)	0.237 (0.186)
Capital productivity $\beta_K$	3.411 (2.200)	3.498 (2.220)
N	1294000	955000

*Notes:* This table shows the estimated production function parameters. Column 1 shows mean parameter estimates across all industries and column 2 shows means for electricity-intensive industries (i.e., industries for which electricity accounts for at least 70% of total energy expenditures). Observation counts are rounded in accordance with Census disclosure requirements. Standard errors are in parentheses.

Table A.6: Effects of Initial and Current Electricity Prices on Manufacturing Outcomes

	(1)	(2)	(3)	
Panel A: Energy Inputs (Levels)				
	$\log(Quantity\_Electricity_{i,t})$	$\log(Total\_CO2_{i,t})$	$\log(Total\_BTU_{i,t})$	
$\log(Current\_Electricity\_Price_{i,t})$	-0.308* (0.170)	-0.373** (0.183)	-0.305* (0.178)	
$\log(Initial\_Electricity\_Price_{i,t_0})$	-0.240* (0.133)	-0.364*** (0.112)	-0.218* (0.124)	
Panel B: Other Manufacturing Inputs and Outputs				
	$\log(Labor\_Hours_{i,t})$	$\log(Materials\_Costs_{i,t})$	$\log(Capital\_Investment_{i,t})$	$\log(Revenue_{i,t})$
$\log(Current\_Electricity\_Price_{i,t})$	0.470*** (0.153)	0.421* (0.239)	0.391 (0.287)	0.456** (0.199)
$\log(Initial\_Electricity\_Price_{i,t_0})$	-0.109 (0.124)	-0.136 (0.146)	0.434* (0.247)	-0.075 (0.140)
K-P $F$ stat	12.1	12.1	12.1	12.1
N	1294000	1294000	1294000	1294000
Industry $\times$ Year $\times$ Entry Year FE	Yes	Yes	Yes	Yes
Industry $\times$ State FE	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* All models are estimated using IV. Initial and contemporaneous electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation. Electricity prices are measured in dollars per kWh, labor inputs in hours, materials costs, capital investment, and revenue in 1000s, quantity of electricity purchased in 1000 kWh, quantity CO2 produced in kg, and quantity BTU consumed in million BTU. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table A.7: Effects of Initial and Current Electricity Prices on Energy Intensity

	$\log(\text{Electricity\_Intensity}_{i,t})$	$\log(\text{Electricity\_Intensity}_{i,t})$ Elec-Intensive Industries	$\log(\text{CO}_2\text{-Intensity}_{i,t})$	$\log(\text{BTU\_Intensity}_{i,t})$
	(1)	(2)	(3)	(4)
Panel A: Main Results				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.764*** (0.090)	-0.734*** (0.104)	-0.829*** (0.072)	-0.761*** (0.087)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.165*** (0.051)	-0.232*** (0.059)	-0.289*** (0.079)	-0.144** (0.059)
K-P $F$ stat	12.1	11.9	12.1	12.1
N	1294000	955000	1294000	1294000
Panel B: Year $\times$ Industry, First Year $\times$ Industry, State $\times$ Industry FE				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.770*** (0.097)	-0.726*** (0.106)	-0.831*** (0.080)	-0.763*** (0.095)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.178*** (0.051)	-0.226*** (0.070)	-0.319*** (0.074)	-0.186*** (0.057)
K-P $F$ stat	9.7	10.2	9.7	9.7
N	1294000	955000	1294000	1294000
Panel C: State $\times$ Year Trends				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.958*** (0.127)	-1.033*** (0.144)	-1.003*** (0.081)	-1.053*** (0.129)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.219*** (0.062)	-0.311*** (0.075)	-0.218*** (0.062)	-0.206*** (0.059)
K-P $F$ stat	11.9	11.3	11.9	11.9
N	1294000	955000	1294000	1294000
Panel D: Plant Covariates				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.750*** (0.083)	-0.723*** (0.102)	-0.816*** (0.069)	-0.750*** (0.082)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.178*** (0.049)	-0.239*** (0.060)	-0.301*** (0.077)	-0.156*** (0.057)
K-P $F$ stat	11.8	11.5	11.8	11.8
N	1294000	955000	1294000	1294000
Panel E: Unweighted				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.821*** (0.044)	-0.809*** (0.044)	-0.883*** (0.045)	-0.827*** (0.041)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.109** (0.052)	-0.153** (0.067)	-0.172*** (0.059)	-0.074 (0.045)
K-P $F$ stat	11.6	10.8	11.6	11.6
N	1294000	955000	1294000	1294000
Panel F: Impute CO2, BTU from MECS only				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.764*** (0.090)	-0.734*** (0.104)	-0.811*** (0.085)	-0.786*** (0.085)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.165*** (0.051)	-0.232*** (0.059)	-0.193*** (0.068)	-0.152** (0.063)
K-P $F$ stat	12.1	11.9	12.1	12.1
N	1294000	955000	1294000	1294000
Panel G: Exclude Years with Imputed CO2 and BTU Values				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.625*** (0.137)	-0.585*** (0.161)	-0.800*** (0.098)	-0.564*** (0.128)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.368*** (0.091)	-0.451*** (0.099)	-0.715*** (0.134)	-0.256** (0.106)
K-P $F$ stat	11.1	11.9	11.1	11.1
N	312000	225000	312000	312000
Panel H: MECS Years Only				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.685*** (0.116)	-0.696*** (0.138)	-0.722*** (0.107)	-0.725*** (0.104)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.343*** (0.089)	-0.424*** (0.125)	-0.370*** (0.085)	-0.367*** (0.086)
K-P $F$ stat	9.4	10.0	9.4	9.4
N	266000	192000	266000	266000
Panel I: Electricity Prices from SEDS				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.314*** (0.103)	-0.271** (0.117)	-0.448*** (0.081)	-0.288*** (0.103)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.234*** (0.041)	-0.278*** (0.055)	-0.295*** (0.050)	-0.231*** (0.041)
K-P $F$ stat	17.6	16.6	17.6	17.6
N	1294000	955000	1294000	1294000

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ 

*Notes:* All models are estimated using IV. Initial and contemporaneous electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation. Electricity prices are measured in dollars per kWh, electricity intensity is kWh per dollar of revenue, CO2 intensity is kg CO2 per dollar of revenue, and BTU intensity is BTU per dollar of revenue. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Except for Panel B, all models include industry  $\times$  year  $\times$  entry year fixed effects and industry  $\times$  state fixed effects. Panel D includes controls for plant labor hours employed, capital stock, and materials costs. Panel H uses electricity prices from the Energy Information Administration's State Energy Data System (SEDS) rather than from the U.S. Census Bureau. Regressions are weighted using Census sampling weights unless otherwise noted. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table A.8: Effects of Initial and Current Electricity Prices on Productivity

	$\log(\text{Energy\_Productivity}_{i,t})$	$\log(\text{Energy\_Productivity}_{i,t})$ Elec-Intensive Industries	$\log(TFP_{i,t})$	$\log(TFP_{i,t})$ Elec-Intensive Industries
	(1)	(2)	(3)	(4)
Panel A: Main Results				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.525*** (0.138)	0.673*** (0.139)	0.088 (0.127)	-0.017 (0.119)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.349*** (0.122)	0.319*** (0.126)	0.049 (0.077)	0.124 (0.083)
K-P $F$ stat	12.1	11.9	12.1	11.9
N	1294000	955000	1294000	955000
Panel B: Year $\times$ Industry, First Year $\times$ Industry, State $\times$ Industry FE				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.512*** (0.169)	0.671*** (0.150)	0.136 (0.118)	0.047 (0.113)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.330*** (0.100)	0.270*** (0.115)	0.021 (0.074)	0.087 (0.098)
K-P $F$ stat	9.7	10.2	9.7	10.2
N	1294000	955000	1294000	955000
Panel C: State $\times$ Year Trends				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.928*** (0.295)	1.109*** (0.289)	0.040 (0.146)	-0.049 (0.126)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.322*** (0.140)	0.352*** (0.156)	0.089 (0.082)	0.141 (0.093)
K-P $F$ stat	11.9	11.3	11.9	11.3
N	1294000	955000	1294000	955000
Panel D: Plant Covariates				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.424*** (0.114)	0.553*** (0.123)	-0.027 (0.059)	-0.108 (0.074)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.374*** (0.092)	0.356*** (0.094)	0.090* (0.049)	0.109* (0.055)
K-P $F$ stat	11.8	11.5	11.8	11.5
N	1294000	955000	1294000	955000
Panel E: Unweighted				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.465*** (0.124)	0.589*** (0.123)	0.174 (0.105)	0.059 (0.078)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.425*** (0.087)	0.412*** (0.092)	-0.078 (0.049)	0.017 (0.055)
K-P $F$ stat	11.6	10.8	11.6	10.8
N	1294000	955000	1294000	955000
Panel F: Impute CO2, BTU from MECS only				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.525*** (0.138)	0.673*** (0.139)	0.088 (0.127)	-0.017 (0.119)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.349*** (0.122)	0.319*** (0.126)	0.049 (0.077)	0.124 (0.083)
K-P $F$ stat	12.1	11.9	12.1	11.9
N	1294000	955000	1294000	955000
Panel G: Exclude Years with Imputed CO2 and BTU Values				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.413*** (0.150)	0.421*** (0.188)	0.103 (0.099)	0.049 (0.095)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.376*** (0.193)	0.557*** (0.186)	0.091 (0.102)	0.132 (0.105)
K-P $F$ stat	11.1	11.9	11.1	11.9
N	312000	225000	312000	225000
Panel H: MECS Years Only				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.411*** (0.144)	0.415*** (0.162)	0.126 (0.090)	0.122 (0.092)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.503*** (0.177)	0.573*** (0.193)	0.047 (0.101)	0.097 (0.111)
K-P $F$ stat	9.4	10.0	9.4	10.0
N	266000	192000	266000	192000
Panel I: Electricity Prices from SEDS				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.185 (0.119)	0.249* (0.139)	0.014 (0.068)	-0.039 (0.066)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.313*** (0.089)	0.313*** (0.112)	0.079 (0.055)	0.116* (0.064)
K-P $F$ stat	17.6	16.6	17.6	17.6
N	1294000	955000	1294000	955000

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ 

*Notes:* All models are estimated using IV. Initial and contemporaneous electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation. Electricity prices are measured in dollars per kWh, energy productivity is the productivity of electricity relative to labor, and total factor productivity is the productivity common to all manufacturing inputs. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Except for Panel B, all models include industry  $\times$  year  $\times$  entry year fixed effects and industry  $\times$  state fixed effects. Panel D includes controls for plant labor hours employed, capital stock, and materials costs. Panel H uses electricity prices from the Energy Information Administration's State Energy Data System (SEDS) rather than from the U.S. Census Bureau. Regressions are weighted using Census sampling weights unless otherwise noted. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table A.9: Heterogeneous Effects of Initial Electricity Prices on Energy Intensity by Industry

	$\log(\text{Electricity\_Intensity}_{i,t})$ (1)	$\log(\text{CO}_2\text{-Intensity}_{i,t})$ (2)	$\log(\text{BTU\_Intensity}_{i,t})$ (3)	$\log(\text{Energy\_Productivity}_{i,t})$ (4)	$\log(\text{TFP}_{i,t})$ (5)
Panel A: Metals and Metal Products					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.770*** (0.092)	-0.838*** (0.075)	-0.768*** (0.090)	0.543*** (0.137)	0.091 (0.125)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.140* (0.071)	-0.286** (0.111)	-0.114 (0.084)	0.313* (0.159)	0.072 (0.078)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	-0.024 (0.203)	0.090 (0.233)	-0.049 (0.224)	-0.029 (0.309)	-0.123 (0.093)
K-P $F$ stat	8.1	8.1	8.1	8.1	8.1
Panel B: Non-Metallic Minerals					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.766*** (0.091)	-0.826*** (0.073)	-0.760*** (0.088)	0.528*** (0.136)	0.086 (0.127)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.210*** (0.053)	-0.299*** (0.084)	-0.173** (0.072)	0.393*** (0.117)	0.040 (0.073)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	0.496** (0.239)	0.091 (0.309)	0.300 (0.323)	-0.529 (0.517)	0.106 (0.258)
K-P $F$ stat	10.7	10.7	10.7	10.7	10.7
Panel C: Chemical Products					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.759*** (0.088)	-0.825*** (0.072)	-0.756*** (0.086)	0.517*** (0.143)	0.089 (0.127)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.138** (0.060)	-0.260*** (0.082)	-0.112* (0.064)	0.344*** (0.116)	0.053 (0.078)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	-0.318 (0.293)	-0.323 (0.304)	-0.383 (0.294)	0.026 (0.545)	-0.021 (0.164)
K-P $F$ stat	11.7	11.7	11.7	11.7	11.7
Panel D: Agricultural Machinery					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.764*** (0.090)	-0.834*** (0.072)	-0.765*** (0.087)	0.525*** (0.137)	0.086 (0.126)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.166*** (0.054)	-0.295*** (0.078)	-0.159** (0.060)	0.384*** (0.130)	0.043 (0.079)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	0.005 (0.206)	0.202 (0.226)	0.345 (0.215)	-0.640 (0.420)	0.156 (0.257)
K-P $F$ stat	11.3	11.3	11.3	11.3	11.3
Panel E: Electrical Goods					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.766*** (0.090)	-0.830*** (0.072)	-0.762*** (0.087)	0.528*** (0.138)	0.086 (0.127)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.160*** (0.051)	-0.288*** (0.080)	-0.142** (0.059)	0.335*** (0.124)	0.046 (0.077)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	-0.055 (0.178)	0.025 (0.173)	-0.011 (0.174)	0.199 (0.256)	0.136 (0.209)
K-P $F$ stat	8.7	8.7	8.7	8.7	8.7
Panel F: Transportation Goods					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.764*** (0.090)	-0.828*** (0.073)	-0.760*** (0.088)	0.534*** (0.137)	0.084 (0.127)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.162*** (0.052)	-0.280*** (0.080)	-0.146** (0.060)	0.338** (0.132)	0.050 (0.078)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	-0.065 (0.175)	-0.220 (0.177)	0.028 (0.175)	0.153 (0.456)	0.027 (0.124)
K-P $F$ stat	8.5	8.5	8.5	8.5	8.5
Panel G: Food, Drink, and Tobacco					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.770*** (0.087)	-0.837*** (0.070)	-0.767*** (0.084)	0.537*** (0.139)	0.093 (0.124)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.171*** (0.056)	-0.288*** (0.079)	-0.145** (0.061)	0.392*** (0.125)	0.020 (0.081)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	0.094 (0.186)	0.030 (0.190)	0.029 (0.170)	-0.682 (0.614)	0.373** (0.170)
K-P $F$ stat	12.6	12.6	12.6	12.6	12.6

(Continued on Next Page)

Table A.9: Heterogeneous Effects of Initial Electricity Prices on Energy Intensity by Industry, Continued

	$\log(\text{Electricity\_Intensity}_{i,t})$ (1)	$\log(\text{CO}_2\text{-Intensity}_{i,t})$ (2)	$\log(\text{BTU\_Intensity}_{i,t})$ (3)	$\log(\text{Energy\_Productivity}_{i,t})$ (4)	$\log(\text{TFP}_{i,t})$ (5)
(Continued from Previous Page)					
Panel H: Textile, Leather, and Shoes					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.780*** (0.086)	-0.843*** (0.071)	-0.778*** (0.083)	0.525*** (0.137)	0.097 (0.123)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.168*** (0.054)	-0.286*** (0.079)	-0.149** (0.059)	0.294** (0.130)	0.072 (0.085)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	-0.151 (0.199)	-0.180 (0.220)	-0.089 (0.184)	0.896 (0.552)	-0.215 (0.288)
K-P $F$ stat	8.5	8.5	8.5	8.5	8.5
Panel I: Timber and Furniture					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.762*** (0.089)	-0.830*** (0.071)	-0.760*** (0.088)	0.526*** (0.138)	0.087 (0.126)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.172*** (0.048)	-0.296*** (0.078)	-0.145** (0.056)	0.388*** (0.132)	0.063 (0.070)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	0.053 (0.147)	0.069 (0.172)	-0.002 (0.159)	-0.377 (0.275)	-0.122 (0.170)
K-P $F$ stat	8.5	8.5	8.5	8.5	8.5
Panel J: Printing and Paper Products					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.778*** (0.085)	-0.840*** (0.069)	-0.773*** (0.082)	0.549*** (0.138)	0.093 (0.125)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.174** (0.068)	-0.312*** (0.080)	-0.165** (0.064)	0.318** (0.139)	0.033 (0.078)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	0.175 (0.232)	0.262 (0.242)	0.246 (0.233)	0.088 (0.457)	0.096 (0.165)
K-P $F$ stat	9.2	9.2	9.2	9.2	9.2
Panel K: Miscellaneous Manufacturing					
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.762*** (0.090)	-0.827*** (0.072)	-0.760*** (0.087)	0.523*** (0.139)	0.086 (0.128)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.133** (0.050)	-0.263*** (0.079)	-0.113* (0.058)	0.299** (0.129)	0.049 (0.080)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Industry}_i]$	-0.510** (0.250)	-0.420* (0.246)	-0.498** (0.244)	0.817 (0.503)	-0.016 (0.248)
K-P $F$ stat	12.8	12.8	12.8	12.8	12.8

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$

*Notes:* All models are estimated using IV (N=1294000). Initial and contemporaneous electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation. The interaction of initial electricity prices with the industry indicator is instrumented using the interactions of the same instruments with the industry indicator. Electricity prices are measured in dollars per kWh, electricity intensity is kWh per dollar of revenue, CO2 intensity is kg CO2 per dollar of revenue, BTU intensity is BTU per dollar of revenue, energy productivity is the productivity of electricity relative to labor, and total factor productivity is the productivity common to all manufacturing inputs. All models include industry  $\times$  year  $\times$  entry year fixed effects and industry  $\times$  state fixed effects. Regressions are weighted using Census sampling weights unless otherwise noted. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table A.10: Dynamic Effects of Electricity Prices on Energy Intensity

	$\log(\text{Electricity\_Intensity}_{i,t})$	$\log(\text{Electricity\_Intensity}_{i,t})$ Elec-Intensive Industries	$\log(\text{CO}_2\text{-Intensity}_{i,t})$	$\log(\text{BTU\_Intensity}_{i,t})$
	(1)	(2)	(3)	(4)
Panel A: Lagged Initial Electricity Prices				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.770*** (0.096)	-0.740*** (0.119)	-0.916*** (0.078)	-0.782*** (0.093)
$\log(\text{Lag1\_Initial\_Electricity\_Price}_{i,t_0})$	-0.178*** (0.054)	-0.238*** (0.066)	-0.167*** (0.062)	-0.120** (0.050)
K-P $F$ stat	12.3	12.0	12.3	12.3
N	1294000	955000	1294000	1294000
Panel B: Increasing v. Decreasing Electricity Prices				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.765*** (0.094)	-0.728*** (0.110)	-0.845*** (0.075)	-0.764*** (0.093)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.156*** (0.050)	-0.226*** (0.057)	-0.279*** (0.077)	-0.136** (0.056)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Increasing}_{s,t}]$	-0.003* (0.002)	-0.003 (0.002)	-0.002 (0.002)	-0.002 (0.002)
K-P $F$ stat	14.0	13.1	14.0	14.0
N	1294000	955000	1294000	1294000
Panel C: Inter-Year Electricity Prices				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	-0.897*** (0.089)	-0.837*** (0.104)	-0.931*** (0.109)	-0.920*** (0.109)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	-0.135 (0.123)	-0.141 (0.133)	-0.140 (0.143)	-0.082 (0.136)
$\log(\text{Mean\_Inter\_Year\_Electricity\_Price}_{i,t})$	0.000 (0.208)	-0.098 (0.252)	-0.147 (0.221)	-0.112 (0.222)
K-P $F$ stat	27.7	26.2	27.7	27.7
N	1061000	785000	1061000	1061000
Industry $\times$ Year $\times$ Entry Year FE	Yes	Yes	Yes	Yes
Industry $\times$ State FE	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ 

*Notes:* All models are estimates using IV. Panel A shows the effects of contemporaneous log electricity prices and log prices in the year prior to entry on the log of plants' energy intensity. Panel B shows the effects of contemporaneous log electricity prices and the differential effects of entry-year electricity prices depending on if a plant opens when prices are increasing or decreasing. Panel C shows the effect of contemporaneous log electricity prices, entry-year log electricity prices, and the log of the mean of electricity prices in the years between entry and the current year. Electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation, the interaction of initial prices with the increasing indicator is instrumented with the interaction of weighted initial fuel prices with the increasing indicator, and mean inter-year electricity prices are instrumented with the mean of the contemporaneous instruments over the years that the mean is taken. Electricity prices are measured in dollars per kWh, electricity intensity is kWh per dollar of revenue, CO2 intensity is kg CO2 per dollar of revenue, and BTU intensity is BTU per dollar of revenue. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.

Table A.11: Dynamic Effects of Electricity Prices on Productivity

	$\log(\text{Energy\_Productivity}_{i,t})$	$\log(\text{Energy\_Productivity}_{i,t})$ Elec-Intensive Industries	$\log(TFP_{i,t})$	$\log(TFP_{i,t})$ Elec-Intensive Industries
	(1)	(2)	(3)	(4)
Panel A: Lagged Initial Electricity Prices				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.589*** (0.150)	0.758*** (0.143)	0.125 (0.121)	0.026 (0.111)
$\log(\text{Lag}_1\text{\_Initial\_Electricity\_Price}_{i,t_0})$	0.264** (0.110)	0.150 (0.110)	-0.020 (0.057)	0.036 (0.061)
K-P $F$ stat	12.3	12.0	12.3	12.0
N	1294000	955000	1294000	955000
Panel B: Increasing v. Decreasing Electricity Prices				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.533*** (0.133)	0.663*** (0.142)	0.086 (0.119)	-0.019 (0.111)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.318** (0.126)	0.303** (0.130)	0.058 (0.075)	0.133 (0.083)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0}) \times \mathbb{1}[\text{Increasing}_{s,t}]$	0.010*** (0.003)	0.008** (0.003)	-0.003** (0.001)	-0.004** (0.002)
K-P $F$ stat	14.0	13.1	14.0	13.1
N	1294000	955000	1294000	955000
Panel C: Inter-Year Electricity Prices				
$\log(\text{Current\_Electricity\_Price}_{i,t})$	0.737*** (0.212)	0.910*** (0.192)	0.069 (0.114)	-0.008 (0.133)
$\log(\text{Initial\_Electricity\_Price}_{i,t_0})$	0.186 (0.245)	0.272 (0.248)	-0.002 (0.109)	0.115 (0.136)
$\log(\text{Mean\_Inter\_Year\_Electricity\_Price}_{i,t})$	0.177 (0.393)	-0.014 (0.381)	0.145 (0.122)	0.069 (0.160)
K-P $F$ stat	27.7	26.2	27.7	26.2
N	1061000	785000	1061000	785000
Industry $\times$ Year $\times$ Entry Year FE	Yes	Yes	Yes	Yes
Industry $\times$ State FE	Yes	Yes	Yes	Yes

\*  $p < 0.10$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ 

*Notes:* All models are estimates using IV. Panel A shows the effects of contemporaneous log electricity prices and log prices in the year prior to entry on the log of plants' energy productivity relative to labor productivity and on the log of plants' total factor productivity. Panel B shows the effects of contemporaneous log electricity prices and the differential effects of entry-year electricity prices depending on if a plant opens when prices are increasing or decreasing. Panel C shows the effect of contemporaneous log electricity prices, entry-year log electricity prices, and the log of the mean of electricity prices in the years between entry and the current year. Electricity prices are instrumented using initial and contemporaneous prices for coal, natural gas, and petroleum, weighted by the share of each fuel in state electricity generation, the interaction of initial prices with the increasing indicator is instrumented with the interaction of weighted initial fuel prices with the increasing indicator, and mean inter-year electricity prices are instrumented with the mean of the contemporaneous instruments over the years that the mean is taken. Electricity prices are measured in dollars per kWh, energy productivity is the productivity of electricity relative to labor, and total factor productivity is the productivity common to all manufacturing inputs. Electricity-intensive industries are industries for which electricity accounts for at least 70% of total energy expenditures. Regressions are weighted using Census sampling weights. Observation counts are rounded in accordance with Census disclosure requirements. All dollar values are in 2011 USD. Standard errors clustered by state are in parentheses.